MADE IN ITALY

ELE

ELECTRIC LOCKS

CHAMPIONS
NEW GENERATION HIGH SECURITY CYLINDERS

POWERED ELECTRIC LOCKS

MOTTURA
safeguarding your security

30.E30

MADE IN ITALY







3 keys
art. 92105

3 keys
C10

3/5 chiavi
C28PLUS

Characteristics

- Side or three-points lock
- 63 mm backset
- 36 mm bolts travel
- 50 mm external pump cylinder
  see section **91** for different lengths.
- Internal opening with key
- Single or double pump cylinder
- Striker plate for electric latchbolt,
  for art. 30.E10/E12/E30/E32
- 12V AC power supply - Transformer 25 VA
- All articles are supplied either left or right version (please specify with order)
- Single finish: Black enamelled

Supplied with :

Side locks - art. 30.010E10/E12

- n. 3/5 keys
- n. 1 escutcheon art. 95148/N
- n. 1 striker plate art. 94335
- screws and small parts

Three-points - art. 30.E30/E32

- n. 3/5 keys
- n. 1 escutcheon art. 95148/N
- n. 1 striker plate art. 94335
- n. 2 bar collars art. 99152
- n. 1 clasp art. 99153
- n. 1 floor striker plate art. 99151
- screws and small parts

BARS NOT INCLUDED

FOR ORDERS, ADD TO THE ARTICLE CODE
"A" FOR CHAMPIONS® C10
"B" FOR CHAMPIONS® C28PLUS(specify n° of keys)

30.E10...

		C 10		C28PLUS	
Pump Ø30	Pump Ø34	Pump Ø30	Pump Ø34	Pump Ø30	Pump Ø34

Side lock with electric latchbolt and striker plate
Internal opening with key
External pump

12V

30.E12

Pump Ø30	Pump Ø34

Side lock with electric latchbolt and striker plate
Internal opening with coded key
Double external/internal pump

12V

30.E30...

		C 10		C28PLUS	
Pump Ø30	Pump Ø34	Pump Ø30	Pump Ø34	Pump Ø30	Pump Ø34

Three-points with electric latchbolt and striker plate
20 mm bar travel
Internal opening with key
External pump
Bars **NOT** included

12V

30.E32

Pump Ø30	Pump Ø34				

Three-points with electric latchbolt and striker plate
20 mm bar travel
Internal opening with coded key
Double external/internal pump
Bars **NOT** included

12V

92.105

Blank pump cylinder key
A/C/E type stem with metallic blue, green or black grip for all items with pump cylinder.
Specify required stem and colour.
Package of 25

92.C10B0

Blank key
for pump cylinder CHAMPIONS® C10.
Package of 25

NON-RESTRICTED key duplication

Addition for 1 key			
Decrease for 1 key			
Coded key by sample			

92.CP8D0

Reserved to Mottura club

Blank key
for pump cylinder CHAMPIONS® C28PLUS.

PROTECTED key duplication

LENGTHS EXCEEDING 50 MM ON REQUEST	
60 mm	Lock supplied with external pump-cylinder 60 mm Ø 30 or Ø 34: no price increase
70-80 mm	Lock supplied with external pump-cylinder 70 mm - 80 mm Ø 30 or Ø 34
90-100 mm	Lock supplied with external pump-cylinder 90 mm - 100 mm Ø 30 or Ø 34

N.B. C10 and C28 version locks are NOT available in "PERSONALIZED PROFILES".

72.14ELE

MADE IN ITALY



Characteristics

- Three-points
- Key and handle backset 47 mm
- Bolts Ø 20x14 mm with 18 mm travel
- Bar travel 17 mm
- **All items are ambidextrous**

Supplied with:
- 3 keys with 36 mm stem art. 92229/5
- internal escutcheon art. 95224
- external escutcheon art. 95223
- striker plate art. 94104

Power supply 12 V C.A.
Transformer 25 VA

On request
locks can be supplied with:
- keys with 60 mm stem art. 92102/5



To use threaded bars,
order art. 99237/M6 or M8

72.14ELE

Three-points mortise-type
with electric latchbolt
activated by key, ⍁8 handle square and electrically.
Key and handle backset 47 mm
Bolt travel 18 mm
Bar travel 17 mm

Reversible latchbolt

Other accessories **NOT** included

85.37ELE

MADE IN ITALY



Characteristics

Variation in centre distance: ..../28 - ..../37

- Three-points lock
- Cylinder and handle backset 63 mm
- Round bolt Ø 18 mm with 29 mm travel
- Bar travel 20 mm
- All articles are supplied either left or right version (specify in the order)

Power supply: 12V AC. (transformer 25VA)

Latchbolt with burglar-proof system

On request

locks can be supplied with:

- block lever on bolts **B**
- burglar-proof device (cylinder extraction) **T**.
- **U** certification

Pair with Defender®
TOP SYSTEM, LEVEL, BASIC, DF..
(Order separately; see section **94**)

It is RECOMMENDED to use CHAMPIONS® security cylinders

CHAMPIONS

POWERED ELECTRIC LOCKS

RIM LOCK				MORTISE-TYPE

85.37ELE...N		85.97ELE...N
	..N Basic equipment	
	..B Block lever on bolts	
	..T Burglar-proof device	
	..Q Reinforcement on the bolts + Burglar-proof (B+T)	

Three-points with latchbolt for electrically activated cylinder
Ø 20 latchbolt activated by cylinder, ⧄8 handle square and electrically
Reversible latchbolt and lever
Cylinders, reinforcements and other accessories are **NOT** included



Note : Locks can be supplied **B** version, T version or **Q** version (**B** +T) **on request.** Bolts resistance to forcing exceeds 600 Nw required by applicable standards.

Note : the burglar-proof device **Q** (**B**+T) **MUST** always be mounted on the outside side of the door; otherwise, it will **NOT** work. It is always necessary to specify the opening hand.

Note : **On request B** or **Q** (**B**+T) locks version can be supplied with **certification** according to standard UNI EN 12209 and CE mark. In the order, please add **U** to the article code of the lock.
Certification is valid only if the lock is protected by a manganese plate of the same dimensions of the lock or larger.

ON REQUEST
Security locks with block lever on deadbolts

ON REQUEST
(B+T) Block lever on deadbolts (B) +Cylinder extraction protection (T)

ON REQUEST
Lock with forced cylinder extraction protection system

ON REQUEST
Security locks with block lever on deadbolts and certification

Use DEFENDER® *(Order separately: see section 94)*

TOP SYSTEM	LEVEL	BASIC	DF...

Master key system KA (Keyed Alike)

Several cylinders with the same code can be opened with the same key.



Master key system MK (Master Key)

A single master key opens all the cylinders in the system, while each of the individual keys opens its own cylinder.
Maximum number of keys with different combination = 10



Master keyed systems have one card per group (for further information please contact the company)

Important: Outdoor installations need a specific surface treatment to ensure greater weather protection. Please contact the manufacturer for these installations.



ELECTRIC LOCKS			
ACCESSORIES		**DC**	**DC+RM**
99.686	**KEYPAD**		**X**
99.729	**XTRACK**		**X**
99.730	**XTRACK**		**X**
99.734	**XBLUE**	**X***	
99.735	**XPIN**	**X**	
99.736	**XDIGIT**		**X**
99.739	**PUSH-BUTTON**	**X**	
99.689	**PUSH-BUTTON**	**X**	
99.699	**CABLE**		**X**

DC=Dry contact - **RM**=Relay module (99724) - *** XBLUE can ONLY be powered by mains (9÷12 V CC)**