


EUROPROFILE SECURITY CYLINDERS



safeguarding your security

MADE
IN
ITALY



- 1 Mottura MM key profile 
- 2 Anti snap shear in the event of break-in.
- 3 Updated internal anti-burglary devices to counter the most common picking techniques, key decoding and break-in attempts.

- 4 Bumping and picking resistant.
Test report BSI (C10-PRO/MODULAR C28PLUS - C39)
Certified by ICIM (CP6 - C55).




- 5 Tracing resistant: coding is protected against break-in techniques based on the "tracing" or "impression" of the key.



- 6 Key head, for gold series only, ergonomic for a more comfortable use. The technical setup provides strength and security.

- 7 Round colourful inserts to make to keys easy to recognize. They only have visual function. A touch of colour for the new key heads.

- 8 Triangular colourful key head shells (C55) to easily identify the key function.





Cylinder certified
UNI EN 1303




PLATINUM SERIES



C3D
★★★★★
5 surfaces
EXCLUSIVE SECURITY



Protected and controlled key
duplication only in Mottura



C55
★★★★★
Triple system
TOP SECURITY



Protected and controlled key
duplication only in Mottura



GOLD SERIES



CP6
★★★★☆
Multidesmo system
ANTI-TRACING



Duplication protected
only in Mottura Clubs



C39
★★★★☆
Magnetic pin
ANTI-PICK



Duplication protected
only in Mottura Clubs



C28PLUS
★★★★☆
Mobile element
DUPLICATE PROTECTION



Duplication protected
only in Mottura Clubs



SILVER SERIES



PRO/MODULAR
★★☆☆☆
Mathematical key
DUPLICATE PROTECTION



Duplication only at Authorized
Centers and Mottura Clubs



C10
★★☆☆☆
Profile controls
BASIC PROTECTION



Key duplication at qualified
dealers or Mottura Centers





FINISHES

Brushed nickel-plated finish to better integrate with the supplied accessories
(on request in brushed brass finish)


KEY / KEY (DOUBLE CYLINDERS)

On request also available in the emergency function version (opens from the outside even with the key inserted inside)




KEY / ADJUSTABLE KNOB PROVISION

Adjustable knob
ø 8 mm




CYLINDERS WITH KNOB PROVISION

Knob attachment
ø 8 mm



THUMB TURN CYLINDERS

Knob attachment
ø 8 mm
Removable knob



HALF CYLINDER

For 14/20 mm
thickness locks



HALF CYLINDER FOR ARMoured DOORS

For 30 mm
thickness locks



BREAK with iron tube



Snapping protection

Champions® cylinders are designed so such that, in the event of a break-in, a cut favors the controlled breaking of the cylinder, avoiding that a passage hole remains open on the lock, from which the door could be opened. However, it is still possible to open with the key from the outside.



Keys duplication

The key blanks managed and controlled at source by Mottura Spa, are distributed exclusively to the Mottura Clubs and therefore constitute the best guarantee against unauthorised duplication. The MM profile characterizes the section of all Champions® keys.



Keys duplication not authorized



Apply with confidence to the authorized centres showing this mark.
A consultant will give you the right advice for every need.

MOTTURA SECURITY CYLINDERS CERTIFIED UNI EN 1303

HIGHLY RESISTANT TO BUMPING, PICKING, TRACING

Mottura Champions® security cylinders are certified by ICIM institute, according to the European reference standard UNI EN 1303, and achieved the maximum degree in any parameter required as highly resistant to bumping and picking.



Category of use ①	Durability ②	Door mass ③	Suitability for use on fire/smoke doors ④	Safety ⑤	Corrosion resistance ⑥	Key security ⑦	Drill resistance ⑧
1	6	0	B	0	C	6	D

**C10 - CP4 - MODULAR
C28 PLUS - C39**

CERTIFIED by the ICIM body as resistant to picking.
TESTED as resistant to bumping and picking (according to BSI/TS007).


CP6 - C55

CERTIFIED by the ICIM body as resistant to bumping and picking.

"Picking" resistance ⑨	"Bumping" resistance ⑩
Pass	X

- ① Used by people who know how to use it and with little possibility of misuse
- a single class characterized by the No. 1
- ② Maximum resistance obtainable in duration testing (100,000 cycles)
The reference standard foresees 3 levels:
- Level 4 - 25000 cycles
- Level 5 - 50000 cycles
- Level 6 - 100000 cycles
- ③ No requirement requested
- ④ Suitable for use on smoke/fire proof doors.
The reference standard foresees 2 levels:
- Level 0 - unsuitable for use on smoke/fire proof doors
- Level A - suitable for use on smoke proof doors
- Level B - suitable for use on smoke/fire proof doors
- ⑤ No requirement requested, referring to the safety of persons (safety)
- ⑥ Maximum classification, high resistance to corrosion (96h) and temperature
The reference standard foresees 4 levels:
- Level 0 - no requirement of corrosion and temperature resistance
- Level A - high resistance to corrosion and no requirement to temperature resistance
- Level B - no requirement of corrosion resistance and temperature resistance from -20°C÷+80°C
- Level C - high resistance to corrosion and temperature from -20°C÷+80°C
- ⑦ Maximum classification in terms of key identification requirements.
The reference standard foresees 6 levels:
- One of the characteristics is the number of different possible combinations ranging from a minimum of 100 combinations (level 1) to a maximum of at least 100,000 (level 6)
- ⑧ Maximum classification in terms of resistance to drilling and mechanical forcing.
The reference standard foresees 3 levels:
- Level 0 - no resistance requirement to drilling/mechanical forcing
- Level A - 3/5 minutes of resistance to drilling/mechanical forcing except plug/cylinder extraction
- Level B - 5/10 minutes of resistance to drilling/mechanical forcing except plug/cylinder extraction
- Level C - 3/5 minutes of resistance to drilling/mechanical forcing
- Level D - 5/10 minutes of resistance to drilling/mechanical forcing
- ⑨ **Resistance to "picking"**
- ⑩ **Resistance to "bumping"**
The packaging of the security cylinder resistant to bumping are marked with the acronyms BKC.

Download the certificates and test reports directly from our site
<https://www.mottura.it/en/download/certificazioni>





KEY COLORS AND DESIGN

with key head, only for the Gold series, even more ergonomic to make use more comfortable.

Technical setup that conveys **robustness** and **safety**.

COLORED INSERTS ON THE KEY HEAD

Colourful plastic pin to make the key easy to be recognized.

This part has aesthetic meaning only.

An additional touch of colour for the new grips.



Triangular colourful inserts
to identify the function
according to
the master system.



CA - CONSTRUCTION KEY
VARIO - KEY "A"
TANDEM CA - CONSTRUCTION KEY

CA - MASTER KEY
VARIO - KEY "B"

VARIO - KEY "C"
TANDEM - MASTER KEY

TANDEM - SERVICE KEY
WITHOUT INSERT



Colourful key head shells
to identify the function
according to
the master system.

PERSONALIZED

Several type of customizations are available on Champions® cylinders:

- grip color different from standard
- protected key profile
- neutral packaging (white)
- neutral instructions
- personalized card with customer's name
- keys with customer's logo on one side of the grip (Silver e Gold series)

For costs, minimum quantity and other types of customizations contact the company.

EXAMPLE OF
STANDARD GRIP
GOLD SERIES



EXAMPLE OF
A PERSONALIZED
GRIP
GOLD SERIES



Function symbols used




The "MM" key profile is a registered trademark that guarantees higher security against illegal key duplication.

Anti-pick magnet plate on the key.




Patented side profile controls, exclusive "mathematical" key protection system

Desmodromic track combined with rotating coaxial pins.




Anti snap shear in the event of break-in.

Possibility to realize cylinder with "Construction Key" function.



Rest position of the cam 30° off-centre respect the cylinder.

Possibility to realize cylinder in VARIO version (3 levels).



Emergency function cylinders available.

Possibility to realize cylinder in SET&RESET version



Bumping and picking resistant, certified by ICIM to the highest levels established by the voluntary reference standard.

Possibility to realize MASTER KEY SYSTEM type KA - MK - GMK - GGMK - CC - CG - TANDEM - TANDEM CA



Tracing resistant: coding is protected against break-in techniques based on the "tracing" or "impression" of the key

Key duplication by Mottura Centre or Mottura Club.



Cylinders with extendible modules for Champions® Modular.

Protected key duplication by Mottura Club Centre.




Patented key provided with a mobile element to protect key duplication.

Protected and controlled key duplication directly in the factory, upon request to a Mottura Club Centre.



C10



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 5 coding pins including pins and counterpins (tempered steel anti-picking).
- 2x upper profile control pins.
- 2x side profile control pins.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "picking" resistant (ICIM certified) and "bumping" resistant (BSI/TS007 tested).



Key duplication at qualified dealers or Mottura Centres

C10 key duplication is open and recommended at Mottura dealers. The presentation of the personal property card, which accompanies each set of keys in the package, is not essential but, if presented, guarantees the type of duplication and the real ownership of the cylinder. The numbers printed on the card match with the numbers printed on the keys.





Cylinder certified
UNI EN 1303



SILVER
SERIES


CYLINDERS

PRO



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 6 coding pins including pins and counterpins (tempered steel anti-picking).
- Patented side profile controls, aligned and shaped that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "picking" resistant (ICIM certified) and "bumping" resistant (BSI/TS007 tested).
- The cylinders marked TRC are certified as "tracing" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.





Duplication only at Authorized Centers

PRO key duplication is allowed at Authorized Centres upon presentation of the personal property card, which comes out with each set of keys in the package: the numbers printed on the card match with the numbers printed on the keys. The advantage of PRO security cylinders is to have a faster duplicate, at a network of specialized centers duplication.

For the protected profiles and personalized package, the key duplication is reserved to the customer / dealer or its subsidiaries.


MODULAR



- Modular is ideal to fit all doors thicknesses with sizes between 31-31 and 71-71 (up to 91-141 using the appropriate steel bar). A online configurator is available to easily compose the measurement of any type of cylinder.
- Brushed nickel-plated finish (brushed brass finish on request).
- Maintains all the security features of the Champions PRO
- Modular in addition to the choice of composition, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "picking" resistant (ICIM certified) and "bumping" resistant (BSI/TS007 tested).
- The cylinders marked TRC are certified as "tracing" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.

Easy to assemble
thanks to the
appropriate tool




Duplication only at Authorized Centers

Modular key duplication is allowed at Authorized Centres upon presentation of the personal property card, which comes out with each set of keys in the package: the numbers printed on the card match with the numbers printed on the keys.

For the protected profiles and personalized package, the key duplication is reserved to the customer / dealer or its subsidiaries.




Configuration examples DOUBLE CYLYNDER - KEY/KEY



EXAMPLE - DOUBLE CYLYNDER - KEY/KEY - Measure 31-51 (82) (FRICTIONED)

N°	Article	Description	Quantity
1	98CM2CC018	Double cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98CAF323	20 mm extendible module for double cylinder	1
3	98C2333045	Spacer for double cylinder 30/45	1
4	98CAF329 (98CAF281)	Stem and cam for double cylinder (Stem and cam for double frictioned cylinder)	1
5	98C23031	Grub screw M3x6	4


Configuration examples CYLINDERS WITH ADJUSTABLE KNOB PROVISION



EXAMPLE - CYLINDERS WITH ADJUSTABLE KNOB PROVISION - Measure 46-31 (77)

N°	Article	Description	Quantity
1	98CM1CC018	Half cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98CAF298 / 98CAF29930	Half cylinder with adjustable knob provision	1
3	98C2333045	Spacer for double cylinder 30/45	1
4	98CAF330	Stem and cam for cylinder with fixed and adjustable knob	1
5	98CAF322	15 mm extendible module for double cylinder	1
6	98C23031	Grub screw M3x6	4



Configuration examples HALF CYLINDER



EXAMPLE - HALF CYLINDER FOR 30 mm THICKNESS LOCKS - Measure 51 (66) (14/20 mm THICKNESS LOCKS)

N°	Article	Description	Quantity
1	98CM1CC018	Half cylinder complete with fixing screw 3/5 keys + owner's card	1
2	98C7805610 (98C7805605)	10 mm terminal spacer for half cylinder (type B) (5 mm terminal spacer for half cylinder (type M)	1
3	98CAF333	20 mm extendible module for half cylinder	1
4	98CAF338	Cam for half cylinder	1
5	98C1923245	Spacer for half cylinder 45	1
6	98C23031	Grub screw M3x6	3

C28PLUS



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 5 coding pins and hardened steel antipicking counter-pins to contrast the most common manipulation techniques, key decoding and break-in
- "Patented" mobile element
- Patented upper profile controls, aligned and shaped that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- Key head, more comfort, more ergonomic.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "picking" resistant (ICIM certified) and "bumping" resistant (BSI/TS007 tested).
- The cylinders marked TRC are certified as "tracing" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks



Protected key duplication only in Mottura Clubs

The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized Mottura Club centre together with the original key when a duplicate of the key is requested*.

The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys.

The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.

*** For the protected profiles and personalized package, the key duplication is reserved to the customer / dealer or its subsidiaries.**

The C28PLUS keys with the new mobile element can also be used for the old production C28PLUS cylinders but not vice versa.




Cylinder certified
UNI EN 1303



GOLD
SERIES


CYLINDERS

C39



- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- Magnetic positioning pins
- 5 coding pins and hardened steel antipicking counter-pins.
- Up to 3 upper in-axis profile controls; in case of picking or bumping they block irreversibly the rotation of the cylinder.
- Up to 3 side profile controls.
- Key head, more comfort, more ergonomic.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked "BKC" are "picking" resistant (ICIM certified) and "bumping" resistant (BSI/TS007 tested).
- The cylinders marked TRC are certified as "tracing" resistant.

The A2P version can be supplied subject to use in combination with Mottura A2P locks.



Protected key duplication only in Mottura Clubs



The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized Mottura Club centre together with the original key when a duplicate of the key is requested*.

The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys.


The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.

*** For the protected profiles and personalized package, the key duplication is reserved to the customer / dealer or its subsidiaries.**

CP6



- CP6 combines two different coding systems: a traditional three rotating pins, the particular driving system pin (patented), free to rotate without springs, the false traces on the pins and the high number of possible combinations make it extremely difficult to manipulate and decode the key coding.
- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, shperes, pins and caps).
- Key head, more comfort, more ergonomic.
- 5x tempered steel anti-picking shaped top and bottom pins.
- "Mathematical" upper profile control pin
- Patented side aligned profile controls that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked BKC are certified as "bumping" and "picking" resistant.
- The cylinders marked TRC are certified as "tracing" resistant.



Protected key duplication only in Mottura Clubs

The protected key duplication are supplied with a numbered owner's card, to be showed at the authorized Mottura Club centre together with the original key when a duplicate of the key is requested*.

The owner's card always corresponds to the original keys: the numbers printed on the card are the same as the ones printed on the keys.

The owner's card is then the only document which can be used to obtain key duplicates, and it must be stored carefully, in a safe place, to prevent unauthorized duplication.

*** For the protected profiles and personalized package, the key duplication is reserved to the customer / dealer or its subsidiaries.**



Cylinder certified
UNI EN 1303





PLATINUM
SERIES

CYLINDERS

C55





- C55 combines two different coding systems: a traditional three rotating pins, the particular driving system pin (patented), free to rotate without springs, the false traces on the pins and the high number of possible combinations make it extremely difficult to manipulate and decode the key coding.
- Brushed nickel-plated finish (brushed brass finish on request).
- Shell and plug protected against drilling (hardened steel pins, spheres, pins and caps).
- 5x tempered steel anti-picking shaped top and bottom pins.
- "Mathematical" upper profile control pin.
- Patented side aligned profile controls that, in case of picking, bumping and tracing, irreversibly block the cylinder, preventing the opening.
- "Patented" mobile element.
- All thumb turn cylinders or provision for knob are supplied with emergency function.
- The sealed packet includes cylinder, owner's card, keys, installation instructions and fixing screw. To ensure maximum security, keys and owner's card are sealed by the manufacturer.
- The cylinders marked BKC are certified as "bumping" and "picking" resistant.
- The cylinders marked TRC are certified as "tracing" resistant.



Protected and controlled key duplication only in Mottura


The certified protected and controlled duplication of C55 keys represents a further step in the "active" protection guaranteed by the Champions® range. The duplicate control is already active since the duplicate request: the owner's card, which comes with each set of original keys, must be presented to the authorized Mottura Club center along with an original key (for verification). Mottura Serrature di Sicurezza S.p.A. is the only entity that can legally duplicate the keys C55, of which its "key blanks" are not on sale. The owner's card is then the only document which can be used to obtain duplicates, and it has to be stored in a safe place. **Without original key and original card it is not possible to obtain duplicated keys.**

C3D



EXCLUSIVE SECURITY 3 IN 1 IN CHAMPIONS® SERIES

- C3D allows to convert a euro profile cylinder lock in a 3DKey® lock without replacing it.
- It combines 3 different Mottura security systems: Champions® cylinder with adjustable stem inside, Defender protection with integrated 3Dkey body outside.
- Key (stem 20 mm) with hexagonal profile composed by 3 coding layers (9pins) + 2 desmodromic "snakes" with special driving pins (patented), free to rotate and springless, false anti-picking notches visible on the pins and the high number of combinations make extremely difficult to manipulate and decode but make the rotation silent and smooth.
- Stator and rotor equipped with anti-drilling devices.
- Possibility of choosing the type and finish of the Defender® (basic, spring adjustable or adjustable with fixed pitch).
- The package includes the full set of cylinder (with spacer if necessary), security card, 5 keys, installation instruction and fixing screws. To guarantee the highest level of security the keys and the card are sealed in factory.




Protected and controlled key duplication only in Mottura

The duplication of C3D keys is protected and controlled.


The duplicate control is already active since the duplicate request: the owner's card, which comes with each set of original keys, must be presented to the authorized Mottura Serrature di Sicurezza S.p.A. center along with an original key (for verification). Mottura Serrature di Sicurezza S.p.A. is the only entity that can legally duplicate the keys C55, of which its "key blanks" are not on sale. The owner's card is then the only document which can be used to obtain duplicates, and it has to be stored in a safe place. **Without original key and original card it is not possible to obtain duplicated keys.**

The finishes

Available on request the choice of the finish among those indicated without additional surcharge.
Cover **95500**.. available separately only for neutral basic version.




Suitable for any euro profile cylinder lock with centre distance of fixing points 38 mm.



The version

0 BASIC Version with Basic Defender® diameter 50mm at fixed height 30mm. M6 fixings, 26/38 mm center distance. It is recommended to use the escutcheon 95.447 or 95511/512/513 not included in the package.



1 DF07-Spring adjustable
DF07 Defender® version - diameter 50 mm spring adjustable with a steel escutcheon (72 x 90 mm). M6 fixings, 38 mm center distance - 10 mm adjustment.



2 DF17-Spring adjustable
DF17 Defender® version - diameter 50 mm spring adjustable with hardened steel (HRC 53) escutcheon (65 x 90 mm). M6 fixings, 38 mm center distance - 10 mm adjustment.




3 DF08-Adjustable with fixed pitch
DF08 Defender® version - diameter 50 mm adjustable with fixed pitch with a steel escutcheon (72 x 90 mm). M6 fixings, 26/38 mm center distance - 6,5 mm adjustment.




4 DF18-Adjustable with fixed pitch
DF18 Defender® version - diameter 50 mm adjustable with fixed pitch with hardened steel (HRC 53) escutcheon (65 x 90 mm). M6 fixings, 26/38 mm center distance - 6,5 mm adjustment.







REPLACEMENT ESCUTCHEONS




Protected and controlled key duplication only in Mottura

HOW TO REQUEST KEY DUPLICATE



SUMMARY TABLE - Characteristics and standard equipment

	NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION	
	C10	PRO MODULAR	C28PLUS	C39	CP6	C55	C3D
Key							
Cylinder certified UNI EN 1303	YES						
Reversible keys with plastic head	YES - WITH PLASTIC HEAD		YES - WITH NEW PLASTIC GRIP			YES - KEY HEAD SHELLS	NO
N° of keys supplied (standard)	3/5		3/5			5	5
Keys construction material	Nickel silver						
Drilling protection	Steel pins on the shell and plug						
Anti-thrust protection (protruding cam)	YES						YES
Anti snap protection	YES						NO
Finishes	Brushed nickel-plated						ON REQUEST
MM profile	NO	YES	YES			YES	NO
Technical characteristics	<ul style="list-style-type: none">- 5 coding pins- Anti-picking pins- Upper profile controls pins- Side profile controls pins	<ul style="list-style-type: none">- 6 coding pins- Anti-picking pins- Patented side and upper profile controls, aligned and shaped- Extendible modules (Modular)	<ul style="list-style-type: none">- Mobile element on key- 5 coding pins- Anti-picking pins- Patented side and upper profile controls, aligned and shaped	<ul style="list-style-type: none">- 6 coding pins- Active pin with magnetic positioning- Anti-picking pins- Patented upper profile controls, aligned and shaped- Side profile controls	<ul style="list-style-type: none">- 5 coding pins- Double track with rotating pins- Anti-picking pins- Patented side and upper profile controls, aligned and shaped	<ul style="list-style-type: none">- 5 coding pins- Double track with rotating pins- Mobile element on key- Anti-picking pins- Patented side and upper profile controls, aligned and shaped	<ul style="list-style-type: none">- 9 coding pins- Double track with rotating pins- External Defender®- Cylinder with adjustable tang inside
Packet	Cylinder - 3/5 keys - Card - Fixing screw - Instructions					Cylinder - 5 keys - Card - Fixing screw - Instructions	Cylinder - Defender® 5 keys - Fixing screw Card - Instructions

SUMMARY TABLE - Options on request

	NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION	
	C10	PRO MODULAR	C28PLUS	C39	CP6	C55	C3D
Key							
Finish *	Brushed brass *						ON REQUEST
Emergency function	YES						
VARIO system	NO	YES	YES	NO	YES	YES	YES
Construction key	YES						
Maste key systems **	KA - CA - CC - CG - MK - GMK - GGK - TANDEM - TANDEM CA						KA-CA
SET & RESET system	NO	YES	NO	NO	NO	YES	YES
Additional keys	YES						
Protected profiles	NO	YES	YES	YES	NO	NO	NO

* Brushed brass finish: for delivery time and minimum quantity please contact the company.

** Master key systems can be produced with a determined number of cylinders only. Please contact the company.

The security card is the only document allowing the request of key duplication and must be retained in a safe place. Without card and original key it is impossible to request key duplicates.



DOUBLE CYLINDERS



NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE
<p>C10 CHAMPIONS C10 B0619HL PERSONAL LOCK</p>	<p>PRO CHAMPIONS C6L F012034 PERSONAL LOCK</p>

DOUBLE CYLINDERS "FRICTIONED"





NON RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE
<p>C10 CHAMPIONS C10 B0619HL PERSONAL LOCK</p>	<p>PRO CHAMPIONS C6L F012034 PERSONAL LOCK</p>

		C10	PRO
Quotas		Article	Article
A	B - C	3 keys - 5 keys	3 keys - 5 keys
62	31-31	C10D313101	CP4D313101
67	31-36	C10D313601	CP4D313601
72	31-41	C10D314101	CP4D314101
72	36-36	C10D363601	CP4D363601
77	31-46	C10D314601	CP4D314601
77	36-41	C10D364101	CP4D364101
82	31-51	C10D315101	CP4D315101
82	36-46	C10D364601	CP4D364601
82	41-41	C10D414101	CP4D414101
87	31-56	C10D315601	CP4D315601
87	36-51	C10D365101	CP4D365101
87	41-46	C10D414601	CP4D414601
92	31-61	C10D316101	CP4D316101
92	36-56	C10D365601	CP4D365601
92	41-51	C10D415101	CP4D415101
92	46-46	C10D464601	CP4D464601
97	31-66	C10D316601	CP4D316601
97	36-61	C10D366101	CP4D366101
97	41-56	C10D415601	CP4D415601
97	46-51	C10D465101	CP4D465101
102	31-71	C10D317101	CP4D317101
102	41-61	C10D416101	CP4D416101
102	46-56	C10D465601	CP4D465601
102	51-51	C10D515101	CP4D515101
107	46-61	C10D466101	CP4D466101
107	51-56	C10D515601	CP4D515601
112	31-81	C10D318101	CP4D318101
112	41-71	C10D417101	CP4D417101
112	51-61	C10D516101	CP4D516101
112	56-56	C10D565601	CP4D565601
122	31-91	C10D319101	CP4D319101
122	41-81	C10D418101	CP4D418101
122	51-71	C10D517101	CP4D517101
132	61-71	C10D617101	CP4D617101

		C10	PRO
Quotas		Article	Article
A	B - C	3 keys - 5 keys	3 keys - 5 keys
62	31-31	C10D3131F1	CP4D3131F1
67	31-36	C10D3136F1	CP4D3136F1
72	31-41	C10D3141F1	CP4D3141F1
72	36-36	C10D3636F1	CP4D3636F1
77	31-46	C10D3146F1	CP4D3146F1
77	36-41	C10D3641F1	CP4D3641F1
82	31-51	C10D3151F1	CP4D3151F1
82	36-46	C10D3646F1	CP4D3646F1
82	41-41	C10D4141F1	CP4D4141F1
87	31-56	C10D3156F1	CP4D3156F1
87	36-51	C10D3651F1	CP4D3651F1
87	41-46	C10D4146F1	CP4D4146F1
92	31-61	C10D3161F1	CP4D3161F1
92	36-56	C10D3656F1	CP4D3656F1
92	41-51	C10D4151F1	CP4D4151F1
92	46-46	C10D4646F1	CP4D4646F1
97	31-66	C10D3166F1	CP4D3166F1
97	36-61	C10D3661F1	CP4D3661F1
97	41-56	C10D4156F1	CP4D4156F1
97	46-51	C10D4651F1	CP4D4651F1
102	31-71	C10D3171F1	CP4D3171F1
102	41-61	C10D4161F1	CP4D4161F1
102	46-56	C10D4656F1	CP4D4656F1
102	51-51	C10D5151F1	CP4D5151F1
107	46-61	C10D4661F1	CP4D4661F1
107	51-56	C10D5156F1	CP4D5156F1
112	31-81	C10D3181F1	CP4D3181F1
112	41-71	C10D4171F1	CP4D4171F1
112	51-61	C10D5161F1	CP4D5161F1
112	56-56	C10D5656F1	CP4D5656F1
122	31-91	C10D3191F1	CP4D3191F1
122	41-81	C10D4181F1	CP4D4181F1
122	51-71	C10D5171F1	CP4D5171F1
132	61-71	C10D6171F1	CP4D6171F1

THUMB TURN CYLINDERS (REMOVABLE KNOB)


CYLINDERS WITH KNOB PROVISION




		C10	PRO
Quotas		Article 3 keys - 5 keys	Article 3 keys - 5 keys
A	B - C		
62	31-31	C10F313101R	CP4F313101R
67	31-36	C10F313601R	CP4F313601R
67	36-31	C10F363101R	CP4F363101R
72	31-41	C10F314101R	CP4F314101R
72	36-36	C10F363601R	CP4F363601R
72	41-31	C10F413101R	CP4F413101R
77	31-46	C10F314601R	CP4F314601R
77	36-41	C10F364101R	CP4F364101R
77	46-31	C10F463101R	CP4F463101R
77	41-36	C10F413601R	CP4F413601R
82	31-51	C10F315101R	CP4F315101R
82	36-46	C10F364601R	CP4F364601R
82	41-41	C10F414101R	CP4F414101R
82	51-31	C10F513101R	CP4F513101R
82	46-36	C10F463601R	CP4F463601R
87	31-56	C10F315601R	CP4F315601R
87	36-51	C10F365101R	CP4F365101R
87	41-46	C10F414601R	CP4F414601R
87	56-31	C10F563101R	CP4F563101R
87	51-36	C10F513601R	CP4F513601R
87	46-41	C10F464101R	CP4F464101R
92	31-61	C10F316101R	CP4F316101R
92	36-56	C10F365601R	CP4F365601R
92	41-51	C10F415101R	CP4F415101R
92	46-46	C10F464601R	CP4F464601R
92	61-31	C10F613101R	CP4F613101R
92	56-36	C10F563601R	CP4F563601R
92	51-41	C10F514101R	CP4F514101R
97	46-51	C10F465101R	CP4F465101R
97	51-46	C10F514601R	CP4F514601R
102	31-71	C10F317101R	CP4F317101R
102	41-61	C10F416101R	CP4F416101R
102	51-51	C10F515101R	CP4F515101R
102	71-31	C10F713101R	CP4F713101R
102	61-41	C10F614101R	CP4F614101R
107	56-51	C10F565101R	CP4F565101R
112	31-81	C10F318101R	CP4F318101R
112	51-61	C10F516101R	CP4F516101R
112	56-56	C10F565601R	CP4F565601R
112	81-31	C10F813101R	CP4F813101R
112	61-51	C10F615101R	CP4F615101R
122	31-91	C10F319101R	CP4F319101R
122	91-31	C10F913101R	CP4F913101R

		C10	PRO
Quotas		Article 3 keys - 5 keys	Article 3 keys - 5 keys
A	B - C		
62	31-31	C10F313101	CP4F313101
67	31-36	C10F313601	CP4F313601
67	36-31	C10F363101	CP4F363101
72	31-41	C10F314101	CP4F314101
72	36-36	C10F363601	CP4F363601
72	41-31	C10F413101	CP4F413101
77	31-46	C10F314601	CP4F314601
77	36-41	C10F364101	CP4F364101
77	46-31	C10F463101	CP4F463101
77	41-36	C10F413601	CP4F413601
82	31-51	C10F315101	CP4F315101
82	36-46	C10F364601	CP4F364601
82	41-41	C10F414101	CP4F414101
82	51-31	C10F513101	CP4F513101
82	46-36	C10F463601	CP4F463601
87	31-56	C10F315601	CP4F315601
87	36-51	C10F365101	CP4F365101
87	41-46	C10F414601	CP4F414601
87	56-31	C10F563101	CP4F563101
87	51-36	C10F513601	CP4F513601
87	46-41	C10F464101	CP4F464101
92	31-61	C10F316101	CP4F316101
92	36-56	C10F365601	CP4F365601
92	41-51	C10F415101	CP4F415101
92	46-46	C10F464601	CP4F464601
92	61-31	C10F613101	CP4F613101
92	56-36	C10F563601	CP4F563601
92	51-41	C10F514101	CP4F514101
97	46-51	C10F465101	CP4F465101
97	51-46	C10F514601	CP4F514601
102	31-71	C10F317101	CP4F317101
102	41-61	C10F416101	CP4F416101
102	51-51	C10F515101	CP4F515101
102	71-31	C10F713101	CP4F713101
102	61-41	C10F614101	CP4F614101
107	61-46	C10F614601	CP4F614601
112	31-81	C10F318101	CP4F318101
112	51-61	C10F516101	CP4F516101
112	56-56	C10F565601	CP4F565601
112	81-31	C10F813101	CP4F813101
112	61-51	C10F615101	CP4F615101
122	31-91	C10F319101	CP4F319101
122	91-31	C10F913101	CP4F913101

CYLINDERS WITH ADJUSTABLE KNOB PROVISION



HALF CYLINDER FOR 30 MM THICKNESS LOCKS



		C10	PRO
Quotas		Article	Article
A	B - C	3 keys - 5 keys	3 keys - 5 keys
62	31-31	C10P313101	CP4P313101
67	36-31	C10P363101	CP4P363101
72	41-31	C10P413101	CP4P413101
77	46-31	C10P463101	CP4P463101
82	51-31	C10P513101	CP4P513101
87	56-31	C10P563101	CP4P563101
92	61-31	C10P613101	CP4P613101
97	66-31	C10P663101	CP4P663101
102	71-31	C10P713101	CP4P713101
112	81-31	C10P813101	CP4P813101
122	91-31	C10P913101	CP4P913101

		C10	PRO
Quotas		Article	Article
A	B	3 keys - 5 keys	3 keys - 5 keys
46	31	C10B310001	CP4B310001
56	41	C10B410001	CP4B410001
66	51	C10B510001	CP4B510001
76	61	C10B610001	CP4B610001
86	71	C10B710001	CP4B710001
96	81	C10B810001	CP4B810001

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS



		C10	PRO
Quotas		Article	Article
A	B	3 keys - 5 keys	3 keys - 5 keys
41	31	C10M310001	CP4M310001
46	36	C10M360001	CP4M360001
51	41	C10M410001	CP4M410001
56	46	C10M460001	CP4M460001
61	51	C10M510001	CP4M510001
71	61	C10M610001	CP4M610001
81	71	C10M710001	CP4M710001
91	81	C10M810001	CP4M810001

DOUBLE CYLINDERS



PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

Article 3 keys - 5 keys	Article 3 keys - 5 keys	Article 3 keys - 5 keys
CP8D313101	C39D313101	CP6D313101
CP8D313601	C39D313601	CP6D313601
CP8D314101	C39D314101	CP6D314101
CP8D363601	C39D363601	CP6D363601
CP8D314601	C39D314601	CP6D314601
CP8D364101	C39D364101	CP6D364101
CP8D315101	C39D315101	CP6D315101
CP8D364601	C39D364601	CP6D364601
CP8D414101	C39D414101	CP6D414101
CP8D315601	C39D315601	CP6D315601
CP8D365101	C39D365101	CP6D365101
CP8D414601	C39D414601	CP6D414601
CP8D316101	C39D316101	CP6D316101
CP8D365601	C39D365601	CP6D365601
CP8D415101	C39D415101	CP6D415101
CP8D464601	C39D464601	CP6D464601
CP8D316601	C39D316601	CP6D316601
CP8D366101	C39D366101	CP6D366101
CP8D415601	C39D415601	CP6D415601
CP8D465101	C39D465101	CP6D465101
CP8D317101	C39D317101	CP6D317101
CP8D416101	C39D416101	CP6D416101
CP8D465601	C39D465601	CP6D465601
CP8D515101	C39D515101	CP6D515101
CP8D466101	C39D466101	CP6D466101
CP8D515601	C39D515601	CP6D515601
CP8D318101	C39D318101	CP6D318101
CP8D417101	C39D417101	CP6D417101
CP8D516101	C39D516101	CP6D516101
CP8D565601	C39D565601	CP6D565601
CP8D319101	C39D319101	CP6D319101
CP8D418101	C39D418101	CP6D418101
CP8D517101	C39D517101	CP6D517101
CP8D617101	C39D617101	CP6D617101

DOUBLE CYLINDERS "FRICTIONED"

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

Article 3 keys - 5 keys
CP8D3131F1
CP8D3136F1
CP8D3141F1
CP8D3636F1
CP8D3146F1
CP8D3641F1
CP8D3151F1
CP8D3646F1
CP8D4141F1
CP8D3156F1
CP8D3651F1
CP8D4146F1
CP8D3161F1
CP8D3656F1
CP8D4151F1
CP8D4646F1
CP8D3166F1
CP8D3661F1
CP8D4156F1
CP8D4651F1
CP8D3171F1
CP8D4161F1
CP8D4656F1
CP8D5151F1
CP8D4661F1
CP8D5156F1
CP8D3181F1
CP8D4171F1
CP8D5161F1
CP8D5656F1
CP8D3191F1
CP8D4181F1
CP8D5171F1
CP8D6171F1

Article 3 keys - 5 keys
C39D3131F1
C39D3136F1
C39D3141F1
C39D3636F1
C39D3146F1
C39D3641F1
C39D3151F1
C39D3646F1
C39D4141F1
C39D3156F1
C39D3651F1
C39D4146F1
C39D3161F1
C39D3656F1
C39D4151F1
C39D4646F1
C39D3166F1
C39D3661F1
C39D4156F1
C39D4651F1
C39D3171F1
C39D4161F1
C39D4656F1
C39D5151F1
C39D4661F1
C39D5156F1
C39D3181F1
C39D4171F1
C39D5161F1
C39D5656F1
C39D3191F1
C39D4181F1
C39D5171F1
C39D6171F1

Article 3 keys - 5 keys
CP6D3131F1
CP6D3136F1
CP6D3141F1
CP6D3636F1
CP6D3146F1
CP6D3641F1
CP6D3151F1
CP6D3646F1
CP6D4141F1
CP6D3156F1
CP6D3651F1
CP6D4146F1
CP6D3161F1
CP6D3656F1
CP6D4151F1
CP6D4646F1
CP6D3166F1
CP6D3661F1
CP6D4156F1
CP6D4651F1
CP6D3171F1
CP6D4161F1
CP6D4656F1
CP6D5151F1
CP6D4661F1
CP6D5156F1
CP6D3181F1
CP6D4171F1
CP6D5161F1
CP6D5656F1
CP6D3191F1
CP6D4181F1
CP6D5171F1
CP6D6171F1

THUMB TURN CYLINDERS (REMOVABLE KNOB)

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C

62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	56-51
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31

Article
3 keys - 5 keys

CP8F313101R
CP8F313601R
CP8F363101R
CP8F314101R
CP8F363601R
CP8F413101R
CP8F314601R
CP8F364101R
CP8F463101R
CP8F413601R
CP8F315101R
CP8F364601R
CP8F414101R
CP8F513101R
CP8F463601R
CP8F315601R
CP8F365101R
CP8F414601R
CP8F563101R
CP8F513601R
CP8F464101R
CP8F316101R
CP8F365601R
CP8F415101R
CP8F464601R
CP8F613101R
CP8F563601R
CP8F514101R
CP8F465101R
CP8F514601R
CP8F317101R
CP8F416101R
CP8F515101R
CP8F713101R
CP8F614101R
CP8F565101R
CP8F318101R
CP8F516101R
CP8F565601R
CP8F813101R
CP8F615101R
CP8F319101R
CP8F913101R

Article
3 keys - 5 keys

C39F313101R
C39F313601R
C39F363101R
C39F314101R
C39F363601R
C39F413101R
C39F314601R
C39F364101R
C39F463101R
C39F413601R
C39F315101R
C39F364601R
C39F414101R
C39F513101R
C39F463601R
C39F315601R
C39F365101R
C39F414601R
C39F563101R
C39F513601R
C39F464101R
C39F316101R
C39F365601R
C39F415101R
C39F464601R
C39F613101R
C39F563601R
C39F514101R
C39F465101R
C39F514601R
C39F317101R
C39F416101R
C39F515101R
C39F713101R
C39F614101R
C39F565101R
C39F318101R
C39F516101R
C39F565601R
C39F813101R
C39F615101R
C39F319101R
C39F913101R

Article
3 keys - 5 keys

CP6F313101R
CP6F313601R
CP6F363101R
CP6F314101R
CP6F363601R
CP6F413101R
CP6F314601R
CP6F364101R
CP6F463101R
CP6F413601R
CP6F315101R
CP6F364601R
CP6F414101R
CP6F513101R
CP6F463601R
CP6F315601R
CP6F365101R
CP6F414601R
CP6F563101R
CP6F513601R
CP6F464101R
CP6F316101R
CP6F365601R
CP6F415101R
CP6F464601R
CP6F613101R
CP6F563601R
CP6F514101R
CP6F465101R
CP6F514601R
CP6F317101R
CP6F416101R
CP6F515101R
CP6F713101R
CP6F614101R
CP6F565101R
CP6F318101R
CP6F516101R
CP6F565601R
CP6F813101R
CP6F615101R
CP6F319101R
CP6F913101R

CYLINDERS WITH KNOB PROVISION

PROTECTED KEY DUPLICATION



C28PLUS

C39

CP6

Quotas	
A	B - C
62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	61-46
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31

Article 3 keys - 5 keys
CP8F313101
CP8F313601
CP8F363101
CP8F314101
CP8F363601
CP8F413101
CP8F314601
CP8F364101
CP8F463101
CP8F413601
CP8F315101
CP8F364601
CP8F414101
CP8F513101
CP8F463601
CP8F315601
CP8F365101
CP8F414601
CP8F563101
CP8F513601
CP8F464101
CP8F316101
CP8F365601
CP8F415101
CP8F464601
CP8F613101
CP8F563601
CP8F514101
CP8F465101
CP8F514601
CP8F317101
CP8F416101
CP8F515101
CP8F713101
CP8F614101
CP8F614601
CP8F318101
CP8F516101
CP8F565601
CP8F813101
CP8F615101
CP8F319101
CP8F913101

Article 3 keys - 5 keys
C39F313101
C39F313601
C39F363101
C39F314101
C39F363601
C39F413101
C39F314601
C39F364101
C39F463101
C39F413601
C39F315101
C39F364601
C39F414101
C39F513101
C39F463601
C39F315601
C39F365101
C39F414601
C39F563101
C39F513601
C39F464101
C39F316101
C39F365601
C39F415101
C39F464601
C39F613101
C39F563601
C39F514101
C39F465101
C39F514601
C39F317101
C39F416101
C39F515101
C39F713101
C39F614101
C39F614601
C39F318101
C39F516101
C39F565601
C39F813101
C39F615101
C39F319101
C39F913101

Article 3 keys - 5 keys
CP6F313101
CP6F313601
CP6F363101
CP6F314101
CP6F363601
CP6F413101
CP6F314601
CP6F364101
CP6F463101
CP6F413601
CP6F315101
CP6F364601
CP6F414101
CP6F513101
CP6F463601
CP6F315601
CP6F365101
CP6F414601
CP6F563101
CP6F513601
CP6F464101
CP6F316101
CP6F365601
CP6F415101
CP6F464601
CP6F613101
CP6F563601
CP6F514101
CP6F465101
CP6F514601
CP6F317101
CP6F416101
CP6F515101
CP6F713101
CP6F614101
CP6F614601
CP6F318101
CP6F516101
CP6F565601
CP6F813101
CP6F615101
CP6F319101
CP6F913101

CYLINDERS WITH ADJUSTABLE KNOB PROVISION



PROTECTED KEY DUPLICATION



Quotas		C28PLUS			C39			CP6		
A	B - C	Article 3 keys - 5 keys			Article 3 keys - 5 keys			Article 3 keys - 5 keys		
62	31-31	CP8P313101			C39P313101			CP6P313101		
67	36-31	CP8P363101			C39P363101			CP6P363101		
72	41-31	CP8P413101			C39P413101			CP6P413101		
77	46-31	CP8P463101			C39P463101			CP6P463101		
82	51-31	CP8P513101			C39P513101			CP6P513101		
87	56-31	CP8P563101			C39P563101			CP6P563101		
92	61-31	CP8P613101			C39P613101			CP6P613101		
97	66-31	CP8P663101			C39P663101			CP6P663101		
102	71-31	CP8P713101			C39P713101			CP6P713101		
112	81-31	CP8P813101			C39P813101			CP6P813101		
122	91-31	CP8P913101			C39P913101			CP6P913101		

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS



PROTECTED KEY DUPLICATION



Quotas		C28PLUS			C39			CP6		
A	B	Article 3 keys - 5 keys			Article 3 keys - 5 keys			Article 3 keys - 5 keys		
41	31	CP8M310001			C39M310001			CP6M310001		
46	36	CP8M360001			C39M360001			CP6M360001		
51	41	CP8M410001			C39M410001			CP6M410001		
56	46	CP8M460001			C39M460001			CP6M460001		
61	51	CP8M510001			C39M510001			CP6M510001		
71	61	CP8M610001			C39M610001			CP6M610001		
81	71	CP8M710001			C39M710001			CP6M710001		
91	81	CP8M810001			C39M810001			CP6M810001		

HALF CYLINDER FOR 30 MM THICKNESS LOCKS



PROTECTED KEY DUPLICATION



PROTECTED KEY DUPLICATION		
<p>C28PLUS C8N D01235H</p>	<p>C39 C6RD300012</p>	<p>CP6 CP6 EK0048A</p>
C28PLUS	C39	CP6
Article 3 keys - 5 keys	Article 3 keys - 5 keys	Article 3 keys - 5 keys
CP8B310001	C39B310001	CP6B310001
CP8B410001	C39B410001	CP6B410001
CP8B510001	C39B510001	CP6B510001
CP8B610001	C39B610001	CP6B610001
CP8B710001	C39B710001	CP6B710001
CP8B810001	C39B810001	CP6B810001

Quotas	
A	B
46	31
56	41
66	51
76	61
86	71
96	81

DOUBLE CYLINDERS



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Article
5 keys

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

C55D313101
C55D313601
C55D314101
C55D363601
C55D314601
C55D364101
C55D315101
C55D364601
C55D414101
C55D315601
C55D365101
C55D414601
C55D316101
C55D365601
C55D415101
C55D464601
C55D316601
C55D366101
C55D415601
C55D465101
C55D317101
C55D416101
C55D465601
C55D515101
C55D466101
C55D515601
C55D318101
C55D417101
C55D516101
C55D565601
C55D319101
C55D418101
C55D517101
C55D617101

DOUBLE CYLINDERS "FRICTIONED"



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Article
5 keys

Quotas	
A	B - C
62	31-31
67	31-36
72	31-41
72	36-36
77	31-46
77	36-41
82	31-51
82	36-46
82	41-41
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
102	31-71
102	41-61
102	46-56
102	51-51
107	46-61
107	51-56
112	31-81
112	41-71
112	51-61
112	56-56
122	31-91
122	41-81
122	51-71
132	61-71

C55D3131F1
C55D3136F1
C55D3141F1
C55D3636F1
C55D3146F1
C55D3641F1
C55D3151F1
C55D3646F1
C55D4141F1
C55D3156F1
C55D3651F1
C55D4146F1
C55D3161F1
C55D3656F1
C55D4151F1
C55D4646F1
C55D3166F1
C55D3661F1
C55D4156F1
C55D4651F1
C55D3171F1
C55D4161F1
C55D4656F1
C55D5151F1
C55D4661F1
C55D5156F1
C55D3181F1
C55D4171F1
C55D5161F1
C55D5656F1
C55D3191F1
C55D4181F1
C55D5171F1
C55D6171F1

THUMB TURN CYLINDERS (REMOVABLE KNOB)



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Article
5 keys

Quotas	
A	B - C
62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	56-51
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31

C55F313101R
C55F313601R
C55F363101R
C55F314101R
C55F363601R
C55F413101R
C55F314601R
C55F364101R
C55F463101R
C55F413601R
C55F315101R
C55F364601R
C55F414101R
C55F513101R
C55F463601R
C55F315601R
C55F365101R
C55F414601R
C55F563101R
C55F513601R
C55F464101R
C55F316101R
C55F365601R
C55F415101R
C55F464601R
C55F613101R
C55F563601R
C55F514101R
C55F465101R
C55F514601R
C55F317101R
C55F416101R
C55F515101R
C55F713101R
C55F614101R
C55F565101R
C55F318101R
C55F516101R
C55F565601R
C55F813101R
C55F615101R
C55F319101R
C55F913101R

CYLINDERS WITH KNOB PROVISION



PROTECTED AND
CONTROLLED
KEY DUPLICATION



C55

Article
5 keys

Quotas	
A	B - C
62	31-31
67	31-36
67	36-31
72	31-41
72	36-36
72	41-31
77	31-46
77	36-41
77	46-31
77	41-36
82	31-51
82	36-46
82	41-41
82	51-31
82	46-36
87	31-56
87	36-51
87	41-46
87	56-31
87	51-36
87	46-41
92	31-61
92	36-56
92	41-51
92	46-46
92	61-31
92	56-36
92	51-41
97	46-51
97	51-46
102	31-71
102	41-61
102	51-51
102	71-31
102	61-41
107	56-51
112	31-81
112	51-61
112	56-56
112	81-31
112	61-51
122	31-91
122	91-31


C55F313101
C55F313601
C55F363101
C55F314101
C55F363601
C55F413101
C55F314601
C55F364101
C55F463101
C55F413601
C55F315101
C55F364601
C55F414101
C55F513101
C55F463601
C55F315601
C55F365101
C55F414601
C55F563101
C55F513601
C55F464101
C55F316101
C55F365601
C55F415101
C55F464601
C55F613101
C55F563601
C55F514101
C55F465101
C55F514601
C55F317101
C55F416101
C55F515101
C55F713101
C55F614101
C55F564601
C55F318101
C55F516101
C55F565601
C55F813101
C55F615101
C55F319101
C55F913101

CYLINDERS WITH ADJUSTABLE KNOB PROVISION

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS

HALF CYLINDER FOR 30 MM THICKNESS LOCKS

PROTECTED AND CONTROLLED KEY DUPLICATION



C55

Quotas	
A	B - C
62	31-31
67	36-31
72	41-31
77	46-31
82	51-31
87	56-31
92	61-31
97	66-31
102	71-31
112	81-31
122	91-31

Article 5 keys
C55P313101
C55P363101
C55P413101
C55P463101
C55P513101
C55P563101
C55P613101
C55P663101
C55P713101
C55P813101
C55P913101

C55

Quotas	
A	B
41	31
46	36
51	41
56	46
61	51
71	61
81	71
91	81

Article 5 keys
C55M310001
C55M360001
C55M410001
C55M460001
C55M510001
C55M610001
C55M710001
C55M810001

C55



Quotas	
A	B
46	31
56	41
66	51
76	61
86	71
96	81

Article 5 keys
C55B310001
C55B360001
C55B410001
C55B510001
C55B610001
C55B710001

C3D - DOUBLE CYLINDERS



PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - BASIC

Article
5 keys - 20 mm



C3D - DF07

Article
5 keys - 20 mm



C3D - DF17

Article
5 keys - 20 mm

Quotas	
A	B - C
77	31-46
82	31-51
82	36-46
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
97	51-46
102	31-71
102	36-66
102	41-61
102	46-56
102	51-51
107	31-76
107	36-71
107	41-66
107	46-61
107	51-56
112	31-81
112	36-76
112	41-71
112	51-61
112	56-56
117	31-86
117	36-81
117	41-76
122	31-91
122	36-86
122	41-81
122	51-71
127	31-96
127	36-91
127	41-86
132	31-101
132	36-96
132	41-91
132	61-71
137	36-101
137	41-96
142	41-101

C3DD3146X0
C3DD3151X0
C3DD3646X0
C3DD3156X0
C3DD3651X0
C3DD4146X0
C3DD3161X0
C3DD3656X0
C3DD4151X0
C3DD4646X0
C3DD3166X0
C3DD3661X0
C3DD4156X0
C3DD4651X0
C3DD5146X0
C3DD3171X0
C3DD3666X0
C3DD4161X0
C3DD4656X0
C3DD5151X0
C3DD3176X0
C3DD3671X0
C3DD4166X0
C3DD4661X0
C3DD5156X0
C3DD3181X0
C3DD3676X0
C3DD4171X0
C3DD5161X0
C3DD5656X0
C3DD3186X0
C3DD3681X0
C3DD4176X0
C3DD3191X0
C3DD3686X0
C3DD4181X0
C3DD5171X0
C3DD3196X0
C3DD3691X0
C3DD4186X0
C3DD3101X0
C3DD3696X0
C3DD4191X0
C3DD6171X0
C3DD3601X0
C3DD4196X0
C3DD4101X0



C3DD3146X1
C3DD3151X1
C3DD3646X1
C3DD3156X1
C3DD3651X1
C3DD4146X1
C3DD3161X1
C3DD3656X1
C3DD4151X1
C3DD4646X1
C3DD3166X1
C3DD3661X1
C3DD4156X1
C3DD4651X1
C3DD5146X1
C3DD3171X1
C3DD3666X1
C3DD4161X1
C3DD4656X1
C3DD5151X1
C3DD3176X1
C3DD3671X1
C3DD4166X1
C3DD4661X1
C3DD5156X1
C3DD3181X1
C3DD3676X1
C3DD4171X1
C3DD5161X1
C3DD5656X1
C3DD3186X1
C3DD3681X1
C3DD4176X1
C3DD3191X1
C3DD3686X1
C3DD4181X1
C3DD5171X1
C3DD3196X1
C3DD3691X1
C3DD4186X1
C3DD3101X1
C3DD3696X1
C3DD4191X1
C3DD6171X1
C3DD3601X1
C3DD4196X1
C3DD4101X1

C3DD3146X2
C3DD3151X2
C3DD3646X2
C3DD3156X2
C3DD3651X2
C3DD4146X2
C3DD3161X2
C3DD3656X2
C3DD4151X2
C3DD4646X2
C3DD3166X2
C3DD3661X2
C3DD4156X2
C3DD4651X2
C3DD5146X2
C3DD3171X2
C3DD3666X2
C3DD4161X2
C3DD4656X2
C3DD5151X2
C3DD3176X2
C3DD3671X2
C3DD4166X2
C3DD4661X2
C3DD5156X2
C3DD3181X2
C3DD3676X2
C3DD4171X2
C3DD5161X2
C3DD5656X2
C3DD3186X2
C3DD3681X2
C3DD4176X2
C3DD3191X2
C3DD3686X2
C3DD4181X2
C3DD5171X2
C3DD3196X2
C3DD3691X2
C3DD4186X2
C3DD3101X2
C3DD3696X2
C3DD4191X2
C3DD6171X2
C3DD3601X2
C3DD4196X2
C3DD4101X2

C3D - DOUBLE CYLINDERS



PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - DF08

Article
5 keys - 20 mm



C3D - DF18

Article
5 keys - 20 mm

C3D ESCUTCHEONS BASIC VERSION




95.447..



95.511..

95.512..

95.513..



95511 95512 95513

95.500..

Finish


Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold

Defender® cover

Package of 10



DOUBLE CYLINDERS "FRICTIONED" ADD "F" TO THE CODE





Quotas	
A	B - C
77	31-46
82	31-51
82	36-46
87	31-56
87	36-51
87	41-46
92	31-61
92	36-56
92	41-51
92	46-46
97	31-66
97	36-61
97	41-56
97	46-51
97	51-46
102	31-71
102	36-66
102	41-61
102	46-56
102	51-51
107	31-76
107	36-71
107	41-66
107	46-61
107	51-56
112	31-81
112	36-76
112	41-71
112	51-61
112	56-56
117	31-86
117	36-81
117	41-76
122	31-91
122	36-86
122	41-81
122	51-71
127	31-96
127	36-91
127	41-86
132	31-101
132	36-96
132	41-91
132	61-71
137	36-101
137	41-96
142	41-101

C3DD3146X3
C3DD3151X3
C3DD3646X3
C3DD3156X3
C3DD3651X3
C3DD4146X3
C3DD3161X3
C3DD3656X3
C3DD4151X3
C3DD4646X3
C3DD3166X3
C3DD3661X3
C3DD4156X3
C3DD4651X3
C3DD5146X3
C3DD3171X3
C3DD3666X3
C3DD4161X3
C3DD4656X3
C3DD5151X3
C3DD3176X3
C3DD3671X3
C3DD4166X3
C3DD4661X3
C3DD5156X3
C3DD3181X3
C3DD3676X3
C3DD4171X3
C3DD5161X3
C3DD5656X3
C3DD3186X3
C3DD3681X3
C3DD4176X3
C3DD3191X3
C3DD3686X3
C3DD4181X3
C3DD5171X3
C3DD3196X3
C3DD3691X3
C3DD4186X3
C3DD3101X3
C3DD3696X3
C3DD4191X3
C3DD6171X3
C3DD3601X3
C3DD4196X3
C3DD4101X3

C3DD3146X4
C3DD3151X4
C3DD3646X4
C3DD3156X4
C3DD3651X4
C3DD4146X4
C3DD3161X4
C3DD3656X4
C3DD4151X4
C3DD4646X4
C3DD3166X4
C3DD3661X4
C3DD4156X4
C3DD4651X4
C3DD5146X4
C3DD3171X4
C3DD3666X4
C3DD4161X4
C3DD4656X4
C3DD5151X4
C3DD3176X4
C3DD3671X4
C3DD4166X4
C3DD4661X4
C3DD5156X4
C3DD3181X4
C3DD3676X4
C3DD4171X4
C3DD5161X4
C3DD5656X4
C3DD3186X4
C3DD3681X4
C3DD4176X4
C3DD3191X4
C3DD3686X4
C3DD4181X4
C3DD5171X4
C3DD3196X4
C3DD3691X4
C3DD4186X4
C3DD3101X4
C3DD3696X4
C3DD4191X4
C3DD6171X4
C3DD3601X4
C3DD4196X4
C3DD4101X4

C3D - CYLINDERS WITH ADJUSTABLE KNOB PROVISION

PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - BASIC

Article
5 keys - 20 mm



C3D - DF07

Article
5 keys - 20 mm



C3D - DF17

Article
5 keys - 20 mm

Quotas	
A	B - C
77	46-31
82	51-31
87	56-31
92	61-31
97	66-31
102	71-31
107	76-31
112	81-31
117	86-31
122	91-31
127	96-31
132	101-31

C3DP4631X0
C3DP5131X0
C3DP5631X0
C3DP6131X0
C3DP6631X0
C3DP7131X0
C3DP7631X0
C3DP8131X0
C3DP8631X0
C3DP9131X0
C3DP9631X0
C3DP0131X0

C3DP4631X1
C3DP5131X1
C3DP5631X1
C3DP6131X1
C3DP6631X1
C3DP7131X1
C3DP7631X1
C3DP8131X1
C3DP8631X1
C3DP9131X1
C3DP9631X1
C3DP0131X1

C3DP4631X2
C3DP5131X2
C3DP5631X2
C3DP6131X2
C3DP6631X2
C3DP7131X2
C3DP7631X2
C3DP8131X2
C3DP8631X2
C3DP9131X2
C3DP9631X2
C3DP0131X2

Note: when ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.


95.514..

C3D ESCUTCHEONS DF07/DF08 VERSION

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold

Defender® DF07/DF08
escutcheons - **Package of 1**




95.515..

C3D ESCUTCHEONS DF17/DF18 VERSION

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold



Defender® DF17/DF18
escutcheons - **Package of 1**



C3D - CYLINDERS WITH ADJUSTABLE KNOB PROVISION



PROTECTED AND CONTROLLED KEY DUPLICATION



C3D - DF08

Article
5 keys - 20 mm



C3D - DF18

Article
5 keys - 20 mm

Quotas	
A	B - C
77	46-31
82	51-31
87	56-31
92	61-31
97	66-31
102	71-31
107	76-31
112	81-31
117	86-31
122	91-31
127	96-31
132	101-31

C3DP4631X3
C3DP5131X3
C3DP5631X3
C3DP6131X3
C3DP6631X3
C3DP7131X3
C3DP7631X3
C3DP8131X3
C3DP8631X3
C3DP9131X3
C3DP9631X3
C3DP0131X3

C3DP4631X4
C3DP5131X4
C3DP5631X4
C3DP6131X4
C3DP6631X4
C3DP7131X4
C3DP7631X4
C3DP8131X4
C3DP8631X4
C3DP9131X4
C3DP9631X4
C3DP0131X4

C3D ESCUTCHEONS BASIC VERSION




95.447..



95.511..

95.512..

95.513..



Note: when ordering, indicate the type of Defender® cover treatment among those indicated by replacing the letter "X" with the letter of the treatment requested.

95.511..

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold

Basic Defender® escutcheons depth
18 mm - **Package of 1**

95.512..

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold

Basic Defender® escutcheons depth
22 mm - **Package of 1**

95.513..

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold


Basic Defender® escutcheons depth
27 mm - **Package of 1**

95.500..

Finish

Anod. silver
Anod. bronze
Brass
Chrome
Satin chrome
Anod. black
PVD gold


Defender® cover
Package of 10



Price surcharge for each key over the standard supply.

SPECIAL HALF CYLINDER FOR 32 SERIES (VERTICAL RIM LOCKS)

Quotas		Article
A	B	3 keys - 5 keys
76	61	CP8L610001
86	71	CP8L710001
96	81	CP8L810001



CPC1C31001

Finish

Nickel


Special half cylinder for ref. 32.597N21/23/25 and ref. 32.699N17



"CONSTRUCTION" HALF CYLINDER


Quotas		Article
A	B	1 key
46	31	87UG1631

"Construction" special half cylinder
"TEMPORARY" all cylinders keyed alike



Quotas		Article
A	B	
46	31	87PO1631

"Construction" special half cylinder
"TEMPORARY" with adjustable knob provision



98.AF686

Black plastic cylinder for construction site.




L..L190

Article	Level
3 keys - 5 keys	
LP4L190	PRO
LP8L190	C28PLUS
LP6L190	CP6
L55L190	C55


High security padlock with Champions® cylinder.
Supplied with:
• 3/5 keys in a sealed packet + owner's card for duplication

Package of 1




MODULAR - ASSEMBLED

DOUBLE CYLINDERS - DOUBLE CYLINDERS "FRICTIONED"



MODULAR

Quotas		Article 3 keys - 5 keys	Article 3 keys - 5 keys
A	B - C		
62	31-31	CM7D313101	CM7D3131F1
67	31-36	CM7D313601	CM7D3136F1
72	31-41	CM7D314101	CM7D3141F1
72	36-36	CM7D363601	CM7D3636F1
77	31-46	CM7D314601	CM7D3146F1
77	36-41	CM7D364101	CM7D3641F1
82	31-51	CM7D315101	CM7D3151F1
82	36-46	CM7D364601	CM7D3646F1
82	41-41	CM7D414101	CM7D4141F1
87	31-56	CM7D315601	CM7D3156F1
87	36-51	CM7D365101	CM7D3651F1
87	41-46	CM7D414601	CM7D4146F1
92	31-61	CM7D316101	CM7D3161F1
92	36-56	CM7D365601	CM7D3656F1
92	41-51	CM7D415101	CM7D4151F1
92	46-46	CM7D464601	CM7D4646F1
97	31-66	CM7D316601	CM7D3166F1
97	36-61	CM7D366101	CM7D3661F1
97	41-56	CM7D415601	CM7D4156F1
97	46-51	CM7D465101	CM7D4651F1
102	31-71	CM7D317101	CM7D3171F1
102	36-66	CM7D366601	CM7D3666F1
102	41-61	CM7D416101	CM7D4161F1
102	46-56	CM7D465601	CM7D4656F1
102	51-51	CM7D515101	CM7D5151F1
107	36-71	CM7D367101	CM7D3671F1
107	41-66	CM7D416601	CM7D4166F1



DOUBLE CYLINDERS

DOUBLE CYLINDERS
"FRICTIONED"

MODULAR

Quotas		Article 3 keys - 5 keys	Article 3 keys - 5 keys
A	B - C		
107	46-61	CM7D466101	CM7D4661F1
107	51-56	CM7D515601	CM7D5156F1
112	31-81	CM7D318101	CM7D3181F1
112	41-71	CM7D417101	CM7D4171F1
112	46-66	CM7D466601	CM7D4666F1
112	51-61	CM7D516101	CM7D5161F1
112	56-56	CM7D565601	CM7D5656F1
117	31-86	CM7D318601	CM7D3186F1
117	36-81	CM7D368101	CM7D3681F1
117	46-71	CM7D467101	CM7D4671F1
117	51-66	CM7D516601	CM7D5166F1
117	56-61	CM7D566101	CM7D5661F1
122	31-91	CM7D319101	CM7D3191F1
122	36-86	CM7D368601	CM7D3686F1
122	41-81	CM7D418101	CM7D4181F1
122	51-71	CM7D517101	CM7D5171F1
122	56-66	CM7D566601	CM7D5666F1
122	61-61	CM7D616101	CM7D6161F1
127	36-91	CM7D369101	CM7D3691F1
127	41-86	CM7D418601	CM7D4186F1
127	56-71	CM7D567101	CM7D5671F1
127	61-66	CM7D616601	CM7D6166F1
132	41-91	CM7D419101	CM7D4191F1
132	61-71	CM7D617101	CM7D6171F1
132	66-66	CM7D666601	CM7D6666F1
137	66-71	CM7D667101	CM7D6671F1
142	71-71	CM7D717101	CM7D7171F1

MODULAR - ASSEMBLED

CYLINDERS WITH ADJUSTABLE KNOB PROVISION



		MODULAR
Quotas		Article
A	B - C	3 keys - 5 keys
62	31-31	CM7P313101
67	36-31	CM7P363101
72	41-31	CM7P413101
77	46-31	CM7P463101
82	51-31	CM7P513101
87	56-31	CM7P563101
92	61-31	CM7P613101
97	66-31	CM7P663101
102	71-31	CM7P713101
112	81-31	CM7P813101
117	86-31	CM7P863101
122	91-31	CM7P913101

HALF CYLINDER FOR 14/20 MM THICKNESS LOCKS



		MODULAR
Quotas		Article
A	B	3 keys - 5 keys
41	31	CM7M310001
46	36	CM7M360001
51	41	CM7M410001
61	51	CM7M510001
71	61	CM7M610001
81	71	CM7M710001
91	81	CM7M810001
101	91	CM7M910001

HALF CYLINDER FOR 30 MM THICKNESS LOCKS



		MODULAR
Quotas		Article
A	B	3 keys - 5 keys
46	31	CM7B310001
51	36	CM7B360001
56	41	CM7B410001
66	51	CM7B510001
76	61	CM7B610001
86	71	CM7B710001
96	81	CM7B810001
106	91	CM7B910001

98CAF326

40 mm extendible module for double cylinder for Modular

Package of 2



98CKDF0000

Stem and cam for double emergency function cylinder for Champions® cylinder and Modular CM0(C10) / CM8(CP8) / CM6(CP6)

Package of 10



98CAF327

50 mm extendible module for double cylinder for Modular

Package of 2



98CAF330

Stem and cam for cylinder with fixed and adjustable knob for Modular CM7(PRO) / CM9(C39)

Package of 10



98CAF328

60 mm extendible module for double cylinder for Modular

Package of 2



98CAF345

Stem and cam for cylinder with fixed and adjustable knob for Modular CM0(C10) / CM8(CP8) / CM6(CP6)

Package of 10



98CAF329

Stem and cam for double cylinder for Modular CM7(PRO) / CM9(C39)

Package of 10



98CAF338

Cam for half cylinder for Modular

Package of 10



98CAF344

Stem and cam for double cylinder for Modular CM0(C10) / CM8(CP8) / CM6(CP6)

Package of 10



98C2333030

Spacer for double cylinder
31-31 / 31-36 / 31-41
36-36 / 36-41
41-41
for Modular

Package of 5



98CAF281

Stem and cam for double emergency function cylinder for Modular CM7(PRO) / CM9(C39)

Package of 10



98C2333045

Spacer for double cylinder
31-46 / 31-51 / 31-56
36-46 / 36-51 / 36-56
41-46 / 41-51 / 41-56
for Modular

Package of 5





Cylinder certified
UNI EN 1303



98C2333060

Spacer for double cylinder
31-61 / 31-66 / 31-71
36-61 / 36-66 / 36-71
41-61 / 41-66 / 41-71
for Modular

Package of 5



98C7805605

5 mm terminal spacer for half cylinder (type M)
for Modular

Package of 5



98C2334545

Spacer for double cylinder
46-46 / 46-51 / 46-56
51-51 / 51-56
56-56
for Modular

Package of 5



98C7805610

10 mm terminal spacer for half cylinder (type B)
for Modular

Package of 5



98C2334560

Spacer for double cylinder
46-61 / 46-66 / 46-71
51-61 / 51-66 / 51-71
56-61 / 56-66 / 56-71
for Modular


Package of 5



98C1914711

11 mm plug spacer for half cylinder for Modular

Package of 5



98C2336060

Spacer for double cylinder
61-61 / 61-66 / 61-71
66-66 / 66-71
71-71
for Modular

Package of 5



98CAF331

5 mm extendible module for half cylinder for Modular

Package of 5



98C2333080

Spacer for double cylinder
31-81 / 31-86 / 31-91
36-81 / 36-86 / 36-91
41-81 / 41-86 / 41-91
for Modular

Package of 5



98CAF332

10 mm extendible module for half cylinder for Modular

Package of 5



98C23031

Grub screw M3x6 UNI 5929 for Modular

Package of 100



98CAF333

20 mm extendible module for half cylinder for Modular

Package of 5



98CAF334

30 mm extendible module for half cylinder for Modular

Package of 5



98C1923260

Spacer for half cylinder 61/71 for Modular

Package of 5



98CAF335

40 mm extendible module for half cylinder for Modular

Package of 2



98C1923280

Spacer for half cylinder 81/91 for Modular

Package of 5



98CAF336

50 mm extendible module for half cylinder for modular

Package of 2



98C1923400

Adjustable spacer for half/double cylinder to fit any lenght between 31/31 and 91/141 for Modular

Package of 1



98CAF337

60 mm extendible module for half cylinder for Modular

Package of 2



98CAF339

5 mm spacer + stem + seeger for half cylinder with cogwheel cam for Modular

Package of 5



98C1923230

Spacer for half cylinder 31/36/41 for Modular

Package of 5



98C1923245


Spacer for half cylinder 51 for Modular

Package of 5





Cylinder certified
UNI EN 1303



98C2416151

Spacer for double cylinder (B internal - C external)
61-51 / 66-51 / 71-51 for C3D cylinder

Package of 5



98C2413146

Spacer for double cylinder (B internal - C external)
31-46 / 36-46 / 41-46 for C3D cylinder

Package of 5



98C2413156

Spacer for double cylinder (B internal - C external)
31-56 / 36-56 / 41-56 for C3D cylinder

Package of 5



98C2414646

Spacer for double cylinder (B internal - C external)
46-46 / 51-46 / 56-46 for C3D cylinder

Package of 5



98C2414656

Spacer for double cylinder (B internal - C external)
46-56 / 51-56 / 56-56 for C3D cylinder

Package of 5



98C2416146

Spacer for double cylinder (B internal - C external)
61-46 / 66-46 / 71-46 for C3D cylinder

Package of 5



98C2416156

Spacer for double cylinder (B internal - C external)
61-56 / 66-56 / 71-56 for C3D cylinder

Package of 5



98C2413151

Spacer for double cylinder (B internal - C external)
31-51 / 36-51 / 41-51 for C3D cylinder

Package of 5



98C2413161

Spacer for double cylinder (B internal - C external)
31-61 / 36-61 / 41-61 for C3D cylinder

Package of 5



98C2414651

Spacer for double cylinder (B internal - C external)
46-51 / 51-51 / 56-51 for C3D cylinder

Package of 5



98C2414661

Spacer for double cylinder (B internal - C external)
46-61 / 51-61 / 56-61 for C3D cylinder

Package of 5



98C2416161	
<p>Spacer for double cylinder (B internal - C external) 61-61 / 66-61 / 71-61 for C3D cylinder</p> <p>Package of 5</p>	 

98C2413191	
<p>Spacer for double cylinder (B internal - C external) 31-91 / 36-91 / 41-91 for C3D cylinder</p> <p>Package of 5</p>	

98C2413166	
<p>Spacer for double cylinder (B internal - C external) 31-66 / 36-66 / 41-66 for C3D cylinder</p> <p>Package of 5</p>	 

98C2413196	
<p>Spacer for double cylinder (B internal - C external) 31-96 / 36-96 / 41-96 for C3D cylinder</p> <p>Package of 5</p>	

98C2413171	
<p>Spacer for double cylinder (B internal - C external) 31-71 / 36-71 / 41-71 for C3D cylinder</p> <p>Package of 5</p>	 

98C2413101	
<p>Spacer for double cylinder (B internal - C external) 31-101 / 36-101 / 41-101 for C3D cylinder</p> <p>Package of 5</p>	

98C2413176	
<p>Spacer for double cylinder (B internal - C external) 31-76 / 36-76 / 41-76 for C3D cylinder</p> <p>Package of 5</p>	 

98C2413181	
<p>Spacer for double cylinder (B internal - C external) 31-81 / 36-81 / 41-81 for C3D cylinder</p> <p>Package of 5</p>	 

98C2413186	
<p>Spacer for double cylinder (B internal - C external) 31-86 / 36-86 / 41-86 for C3D cylinder</p> <p>Package of 5</p>	 

98C76004

Cogwheel cam Ø 24 mm - z = 10
for double cylinder Champions®.

Package of 1



98C76010

Cogwheel cam Ø 26,5 mm - z = 16
for double cylinder Champions®.

Package of 1



98C76005

Cogwheel cam Ø 24 mm - z = 10
for half cylinder and
cylinder with knob for Champions®.

Package of 1



98C76017

Cogwheel cam Ø 30 mm - z = 18
for double cylinder Champions®.

Package of 1



98C76006

Cogwheel cam Ø 24 mm - z = 14
for double cylinder Champions®.

Package of 1



98C76018

Cogwheel cam Ø 30 mm - z = 18
for half cylinder and
cylinder with knob for Champions®.

Package of 1



98C76007

Cogwheel cam Ø 24 mm - z = 14
for half cylinder and
cylinder with knob for Champions®.

Package of 1



P35400

Suitcase for components for Modular

Package of 1



98C76008

Cogwheel cam Ø 30 mm - z = 13
for double cylinder Champions®.

Package of 1



98AC25

Assembly tool Modular cylinders version with fixing
screws (grub screw)

Package of 1



98C76009

Cogwheel cam Ø 30 mm - z = 13
for half cylinder and cylinder with knob for Champions®.

Package of 1



98KITIBCM7

Packet kit for Modular cylinder supplied with:
- neutral pack
- partition cardboard
- sealed envelope for keys


Package of 5



START-UP KIT FOR MODULAR - (98C00SSUM7)



ARTICLE	Q.ty	ARTICLE	Q.ty
98CM2CC018	1	98CAF281	5
98CM2CC018C5	1	98CAF298	2
98CAF320	2	98CM1CC018	1
98CAF321	2	98CM1CC018C5	1
98CAF322	2	98CAF330	5
98CAF323	2	98C7805605	1
98CAF324	2	98C1914711	1
98CAF325	2	98CAF331	1
98CAF326	2	98CAF332	1
98CAF327	2	98CAF333	1
98CAF328	2	98CAF334	1
98CAF329	5	98CAF335	1
98C2333030	1	98CAF336	1
98C2333045	1	98CAF337	1
98C2333060	1	98CAF338	5
98C2334545	1	98C1923230	1
98C2334560	1	98C1923245	1
98C2336060	1	98C1923260	1
98C2333080	1	98C1923280	1
98C23031	100	98CAF339	5
98C76004	2	98C7805610	1
98C76006	2	98C76005	1
98C76008	2	98C76007	1
98C76010	2	98C76009	1

MODULAR - ASSEMBLY EXAMPLE DOUBLE CYLINDER KEY/KEY 31-46



MODULAR - CONFIGURATOR

Online configurator. Tool that allows you to easily compose any type of cylinder. Easy and intuitive.
 Available on www.mottura.it



CYLINDER WITH COGWHEEL CAM



safeguarding your security

MADE
— IN —
ITALY

INCREASES OF EACH CYLINDER COST FOR APPLICATION OF THE COGWHEEL MOUNTED ON CYLINDER

98C76004

Cogwheel cam Ø 24 mm - z = 10
for double cylinder Champions®



X

98C76009

Cogwheel cam Ø 30 mm - z = 13
for half cylinder and
cylinder with knob for Champions®



Z

98C76005

Cogwheel cam Ø 24 mm - z = 10
for half cylinder and
cylinder with knob for Champions®



X

98C76010

Cogwheel cam Ø 26,5 mm - z = 16
for double cylinder Champions®



J

98C76006

Cogwheel cam Ø 24 mm - z = 14
for double cylinder Champions®



Y

98C76017

Cogwheel cam Ø 30 mm - z = 18
for double cylinder Champions®



W

98C76007

Cogwheel cam Ø 24 mm - z = 14
for half cylinder and
cylinder with knob for Champions®



Y

98C76018

Cogwheel cam Ø 30 mm - z = 18
for half cylinder and
cylinder with knob for Champions®



W

98C76008

Cogwheel cam Ø 30 mm - z = 13
for double cylinder Champions®




Z

Note: in the order, add the letter corresponding to the desired toothing to the article code for the cylinder.

Example: CP8D313101Z

The cogwheel cam is not available with blockable cylinders except for the knob version (which are ONLY available as blockable cylinders).

KEYS



safeguarding your security

MADE
IN
ITALY

ADDITION OR DEDUCTION OF KEYS TO THE NORMAL EQUIPMENT

	NON RESTRICTED KEY DUPLICATION		KEY DUPLICATION BY AUTHORIZED CENTRES	PROTECTED KEY DUPLICATION				PROTECTED AND CONTROLLED KEY DUPLICATION			
											
	C10	C30/C31	PRO MODULAR	C28	C28PLUS	C39	C43PLUS	CP6	C48	C55	C3D
Addition for 1 key											
Decrease for 1 key											
Duplicated keys As per sample				Reserved to Mottura Club							

99C02

Coded owner card for cylinders for mastering for authorized dealers.

Package of 1



BLANK KEYS

92C10B0

Blank key for C10

Package of 25

Non restricted key duplication



92CP4F0A

Blank activation key for PRO (set & reset system)

Package of 25



92CP4F0

Blank key for PRO-Modular

Package of 25



92C28C0

Reserved to Mottura Club

Blank key for C28

Package of 25



92CP4F0S

Blank service key for PRO (set & reset system)

Package of 25



92C30..

Article

92C30B1	92C30B5
92C30B2	92C30B6
92C30B3	92C30B7
92C30B4	92C30B8

Blank key for C30/C31 - Package of 25
Non restricted key duplication



92CP8D0

Reserved to Mottura Club

Blank key for C28PLUS
Package of 25



91C..

Article Champions® level

91C10CT	C10
91C30CT	C30
91C28CT	C28/29
91C34CT	C34/35
91C38CT	C38
91C43CT	C43/44
91CP4CT	PRO / MODULAR
91CP8CT	C28 PLUS
91C39CT	C39
91CP3CT	C43 PLUS
91CP6CT	CP6

Group of 3 coded keys + owner's card Champions®



92C38..

Article

92C38B1	92C38B5
92C38B2	92C38B6
92C38B3	92C38B7
92C38B4	92C38B8

Reserved to
Mottura Club

Blank key for C38
Package of 25



92C39..

Article

92C39D3

Reserved to
Mottura Club

Blank key for C39
Package of 25



99C..

Reserved to Mottura Club

Duplicate owner's card Champions®



92C43..

Article

92C43E1	92C43E5
92C43E2	92C43E6
92C43E3	92C43E7
92C43E4	92C43E8

Reserved to
Mottura Club

Blank key for C43/C44
Package of 25



92CP3..

Article

92CP3EA	92CP3EE
92CP3EB	92CP3EF
92CP3EC	92CP3EG
92CP3ED	92CP3EH

Reserved to
Mottura Club

Blank key for C43PLUS
Package of 25



92C30..

Article

92CP6EK

92CP6EL

Reserved to
Mottura Club

Blank key for CP6
Package of 25



98.13517M

Plastic interchangeable Champions® key heads. Available in 4 colours (blue - orange - green - turquoise).

Package of 25



98.13524M

Plastic interchangeable Champions® key heads. Available in 3 colours (khaki C39 - turquoise CP8 - special green CP6).

Package of 25



98CAF13M..

Coloured plastic half-shells for Champions® C48/ C55 cylinder key grips. Marked Mottura (front) and Champions (back). Available in 5 colours: Green (VC) - Blue (BC) - Turquoise (TC) - Orange (OC) and black (NC).

Package of 25+25



Coloured inserts for Champions® keys


Keys are complete with coloured insert. They have only aesthetic value. Inserts in 6 different colors are available randomly inserted into the handle during the assembly phase. Easy to replace for every need.



Article	Colour	Figure
98C37A112N	Black	1
98C37A112V	Green	2
98C37A112F	Fuchsia	3
98C37A112T	Turquoise	4
98C37A112O	Orange	5
98C37A112B	Blue	6

Package of 25

SPECIAL CYLINDERS



safeguarding your security

MADE
IN
ITALY

<h2>CP8SB4100</h2> <p>Finish</p> <p>Satin nickel plated</p> <p>Cam Lock cylinder Ø23 Supplied with C28PLUS: <ul style="list-style-type: none"> 3/5 keys in a sealed packet owner's card </p> <p>Package of 1</p>		<p>3/5 keys C28PLUS</p>
<h2>CP8ST29001</h2> <p>Finish</p> <p>Satin nickel plated</p> <p>Rim Lock cylinder Ø 29 Supplied with C28PLUS: <ul style="list-style-type: none"> 3/5 keys in a sealed packet owner's card </p> <p>Package of 1</p>		<p>3/5 keys C28PLUS</p>
<h2>98C33182..</h2> <p>Finish</p> <p>Satin nickel plated (NS)</p> <p>PVD gold (PV)</p> <p>External escutcheon for Rim Lock cylinder Ø 29</p> <p>Package of 10</p>		
<h2>98C39220</h2> <p>Finish</p> <p>Zinc-plated</p> <p>Plate for Rim Lock cylinder Ø 29</p> <p>Package of 10</p>		
<h2>CP8SC4700</h2> <p>Finish</p> <p>Satin nickel plated</p> <p>Replacement cylinders for electric locks Internal + external (CP8SC47IN1+CP8SC47ES1) Compatible with electric locks "Cisa" art. 11721</p> <p>Package of 1</p>	<p>Supplied with C28PLUS: <ul style="list-style-type: none"> 3/5 keys in a sealed packet owner's card </p>	<p>3/5 keys C28PLUS</p>
<h2>CP8SX4710</h2> <p>Finish</p> <p>Satin nickel plated</p> <p>Replacement cylinders for X-Drin Internal + external (CP8SX47IN1+CP8SC47ES1)</p> <p>Package of 1</p>	<p>Supplied with C28PLUS: <ul style="list-style-type: none"> 3/5 keys in a sealed packet owner's card </p> <p>MXDRIN</p>	<p>3/5 keys C28PLUS</p>

CP8SC47IN1

Finish

Satin nickel plated



Internal cylinder for electric locks

Compatible with electric locks "Cisa" art. 11721

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



CP8SX47IN1

Finish


Satin nickel plated

Internal cylinder for X-Drin

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



CP8SC4710

Finish

Satin nickel plated


Replacement cylinders for electric locks

Internal + external (CP8SC10IN1+CP8SC47ES1)

Compatible with locks "Cisa" series 50141

- Supplied with C28PLUS:
- 3/5 keys in a sealed packet
 - owner's card

Package of 1



CP8SC10IN1

Finish

Satin nickel plated


Internal cylinder for electric locks

Compatible with locks "Cisa" series 50141

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



CP8SC47ES1

Finish

Satin nickel plated


External cylinder for electric locks

Compatible with locks "Cisa" series 50141-11721-1A721

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



STEM WIDTH 7 mm



CP8SX47ES1

Finish


Satin nickel plated

External cylinder for X-Drin

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



STEM WIDTH 6,7 mm



BP8D453101

Finish

Satin nickel plated


Replacement cylinder

Compatible with locks "Cavith"

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



KP8D431901

Finish

Satin nickel plated


Replacement cylinder

Compatible with "JPM" locks

Supplied with C28PLUS:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



CP8SC22IN1

Finish


Satin nickel plated

Half cylinder for external handle

Compatible with locks "Cisa" series 07077-28-0

- Supplied with C28PLUS:
- 3/5 keys in sealed packet
 - owner's card

Package of 1



CP8SC4721

Finish

Satin nickel plated

Replacement cylinders for electric locks

Internal + external (CP8SC21IN1+CP8SC47ES1)

Compatible with electric locks "Cisa" series 1A7211

- Supplied with C28PLUS:
- 3/5 keys in a sealed packet
 - owner's card

Package of 1



CP8SC21IN1

Finish


Satin nickel plated

Internal half cylinder for external handle

Compatible with electric locks "Cisa" series 1A721

- Supplied with C28PLUS:
- 3/5 keys in a sealed packet
 - owner's card

Package of 1



CP8SX47ES1

Article

A

B

SP4D313101 31 31

SP4D313601 31 36

SP4D314101 31 41

SP4D414101 41 41

SP4D416101 41 61


SP4D515101 51 51

Swiss type Champions® PRO cylinder

Satin nickel plated finish

- Supplied with:
- 3/5 keys in a sealed packet
 - owner's card

Package of 1



SP8D..


Article	A	B
SP8D313101	31	31
SP8D313601	31	36
SP8D314101	31	41
SP8D414101	41	41
SP8D416101	41	61
SP8D515101	51	51

"Swiss" type C28PLUS cylinder
Satin nickel plated finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



SP6D..



Article	A	B
SP6D313101	31	31
SP6D313601	31	36
SP6D314101	31	41
SP6D414101	41	41
SP6D416101	41	61
SP6D515101	51	51

"Swiss" type CP6 cylinder
Satin nickel plated finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



S55D..


Article	A	B
S55D313101	31	31
S55D313601	31	36
S55D314101	31	41
S55D414101	41	41
S55D416101	41	61
S55D515101	51	51

"Swiss" type C55 cylinder
Satin nickel plated finish

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1



F..M..

Article	Level	A
FP4M3600F1	PRO	36
FP4M5300F1	PRO	53
FP8M3600F1	C28P	36
FP8M5300F1	C28P	53
FP6M3600F1	CP6	36
FP6M5300F1	CP6	53
F55M3600F1	C55	36
F55M5300F1	C55	53
F3DM3600F1	3DK	36
F3DM5300F1	3DK	53


"Fichet 787" type
Champions® PRO - C28PLUS - CP6 - C55 - 3DKey®

PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



FP4D..


Article	A	B
FP4D3636F1	36	36
FP4D5336F1	53	36
FP4D5353F1	53	53

"Fichet 787" type PRO cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



FP8D..		
Article	A	B
FP8D3636F1	36	36
FP8D5336F1	53	36
FP8D5353F1	53	53

"Fichet 787" type C28PLUS cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1

3/5 keys
C28PLUS

FP6D..		
Article	A	B
FP6D3636F1	36	36
FP6D5336F1	53	36
FP6D5353F1	53	53

"Fichet 787" type CP6 cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1

3/5 keys
CP6

F55D..		
Article	A	B
F55D3636F1	36	36
F55D5336F1	53	36
F55D5353F1	53	53

"Fichet 787" type C55 cylinder
PVD gold finish

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1

5 keys
C55

F3DD..		
Article	A	B
F3DD3636F1	36	36
F3DD5336F1	53	36
F3DD5353F1	53	53

"Fichet 787" type 3DKey®

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1

3Dkey

E..M..		
Article	Level	A
EP4M3600F1	PRO	36
EP4M5300F1	PRO	53
EP8M3600F1	C28P	36
EP8M5300F1	C28P	53
EP6M3600F1	CP6	36
EP6M5300F1	CP6	53
E55M3600F1	C55	36
E55M5300F1	C55	53
E3DM3600F1	3DK	36
E3DM5300F1	3DK	53

"Fichet 484" type
Champions® PRO - C28PLUS - CP6 - C55 - 3DKey®

PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1

3Dkey

EP4D..



Article	A	B
EP4D3636F1	36	36
EP4D5336F1	53	36
EP4D5353F1	53	53

"Fichet 484" type PRO cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



EP8D..



Article	A	B
EP8D3636F1	36	36
EP8D5336F1	53	36
EP8D5353F1	53	53

"Fichet 484" type C28PLUS cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



EP6D..



Article	A	B
EP6D3636F1	36	36
EP6D5336F1	53	36
EP6D5353F1	53	53

"Fichet 484" type CP6 cylinder
PVD gold finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



E55D..


Article	A	B
E55D3636F1	36	36
E55D5336F1	53	36
E55D5353F1	53	53

"Fichet 484" type C55 cylinder
PVD gold finish

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1



E3DD..


Article	A	B
E3DD3636F1	36	36
E3DD5336F1	53	36
E3DD5353F1	53	53

"Fichet 484" type 3DKey®

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1




98F....

Article	A	B
98F410000T	41	36
98F570000T	57	53
98F670000T	67	53

External protection for "Fichet" type cylinder
PVD gold finish
Keyhole protection 6 mm with 3,5 mm slot.

Package of 1



T..D506201

Article

Level

TP4D506201

PRO

TP8D506201

C28PLUS

TP6D506201

CP6

T55D506201


C55

Special "Fichet-Vertipoint" type
Champions® PRO - C28PLUS - CP6 - C55
Brass finish

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1




T3D506201

Special "Fichet-Vertipoint" type
3DKey®
Finish: satin nickel plated

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1




AP..D313101

Article

Level

AP4D313101

PRO

AP8D313101


C28PLUS

"Scandinavian" oval type
Champions® PRO - C28PLUS cylinder
Internal + external (AP8M31IN01+AP8M31ES01)
Finish: satin nickel plated

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



AP..M31ES01

Article

Level

AP4M31ES01

PRO

AP8M31ES01


C28PLUS

External "Scandinavian" oval type
Champions® PRO - C28PLUS half cylinder
Finish: satin nickel plated

Supplied with:

- 5 keys in a sealed packet
- owner's card

Package of 1



AP..M31IN01

Article

Level

AP4M31IN01

PRO

AP8M31IN01


C28PLUS

Internal "Scandinavian" oval type
Champions® PRO - C28PLUS half cylinder
Finish: satin nickel plated

Supplied with:

- 3/5 keys in a sealed packet
- owner's card

Package of 1



MASTER KEY SYSTEMS



safeguarding your security

MADE
IN
ITALY

MASTER KEYING CHART FOR CHAMPIONS® SYSTEMS

Instructions to fill the form

The following page shows a view of the keying chart to be filled while ordering Champions® master key systems.

We ask to fill clearly the necessary fields by following the instructions below

**Mottura Serrature S.p.A., reserves to vary technical features of cylinders and components without previous notice.
Please remember that master key system reduce cylinder safety**

[illegible]

N.B.: When ordering, specify the possibility of future increases; if not specified it will be impossible to do so later.

Customer's signature:

- 1 Enter the name of the **Author** in the proper field.
 - 2 Enter the current **Date** in the proper field.
 - 3 Enter the **Client** information in the proper field.
 - 4 Enter the **System** name in the proper field.
 - 5 Enter all of the **Cylinders** that make up the system, indicating for each:
 - a. **Door** or **Room** designation;
 - b. **Article** code;
 - c. **Quantity**, must be equal to 1, unless relative to two or more cylinders with same keys (**KA**);
 - d. **Type**, in special cases of same (**KA**);
 - e. Number of copies of **individual keys** (keys that only open the cylinder in question). If no individual keys are to be requested, leave blank, and if you plan on a future expansion, enter 0.
 - 6 Enter all of the desired **Master keys** (keys that open more than one cylinder) indicating for each:
 - a. **Key** designation, or user designation;
 - b. **Quantity** of copies;
 - c. Which cylinders they must open, indicated by an **X** in the box at the intersection of the key column and the cylinder row.
- N.B.: The fields "**System code**", "**Invoice code**" and "**Code Marc.**", highlighted in yellow, **MUST NOT BE COMPLETED**; these codes will be automatically assigned by the Mottura Serrature S.p.A. host computer.
- If not otherwise specified, cylinders are supplied in satin nickel finish.
- Master key systems are supplied with ONLY ONE owner's card.**
Additional cards supplied on request (please contact the company).

KEYED ALIKE KA

System composed of several cylinders with the same code that can be opened with the same key



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO MODULAR	C28PLUS	C39	CP6	C55

NEW CODE OR AS PER SAMPLE	Half cylinder, thumb turn cylinder, padlock, locks, latches					
	Double cylinder					
PRICE DECREASE	(for each key) with respect to standard supply					
PRICE SURCHARGE	(for each key) with respect to standard supply					

MASTER KEY SYSTEM MK

A single master key opens all the cylinders in the system, while each of the individual keys opens its own cylinder



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO MODULAR	C28PLUS	C39	CP6	C55

NEW CODE OR AS PER SAMPLE	Half cylinder, thumb turn cylinder, padlock, locks, latches					
	Double cylinder					
FIRST MASTER KEY ENCLOSED		MASTER KEYS ADDITIONAL TO THE COST OF THE PRICE SURCHARGE				
PRICE DECREASE	(for each key) with respect to standard supply					
PRICE SURCHARGE	(for each key) with respect to standard supply					

The diagram shows a central node (key) connected to multiple peripheral nodes (locks) in a network topology. The central node is a key with a blue head, and the peripheral nodes are locks of various colors (blue, pink, black, white, teal, orange, green). Arrows indicate the flow of information from the central node to the peripheral nodes. A red circular logo with the text 'GMK' is visible in the top right corner.



NEW CODE OR AS PER SAMPLE	Half cylinder, thumb turn cylinder, padlock, locks, latches
	Double cylinder
<u>FIRST MASTER KEY ENCLOSED</u>	
PRICE DECREASE	(for each key) with respect to standard supply
PRICE SURCHARGE	(for each key) with respect to standard supply

A 3D perspective diagram of a hallway with a network of nodes and connections. The hallway has a white floor and walls, with several doorways. A central node is connected to four other nodes, which are further connected to a total of eight nodes arranged in a grid-like pattern. Each node is represented by a small, dark, rectangular object with a circular top. Colored arrows (blue, orange, green) indicate the direction of data flow or communication between the nodes. Above each node is a small, light-colored, cloud-like shape, possibly representing a user or a specific data source/sink. The overall layout suggests a distributed network topology within a physical environment.



NEW CODE OR AS PER SAMPLE	Half cylinder, thumb turn cylinder, padlock, locks, latches
	Double cylinder
<u>FIRST MASTER KEY ENCLOSED</u>	
PRICE DECREASE	(for each key) with respect to standard supply
PRICE SURCHARGE	(for each key) with respect to standard supply



Main Lock System CC - In addition to opening its own cylinder (but not other cylinders in the system), each key also opens the main lock. Every key of this chart is considered a master key.



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO MODULAR	C28PLUS	C39	CP6	C55

NEW CODE OR AS PER SAMPLE	Half cylinder, thumb turn cylinder, padlock, locks, latches					
	Double cylinder					
PRICE DECREASE	(for each key) with respect to standard supply					
PRICE SURCHARGE	(for each key) with respect to standard supply					


System with Construction Key CA - A first key is used during installation, after which it is replaced with a new, one sealed set of keys which excludes all keys previously used by modifying the code. Construction Key System (CA) is available for all Champions® levels.



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO MODULAR	C28PLUS	C39	CP6	C55

FOR ALL CYLINDER SYSTEMS						
PRICE DECREASE	(for each key) with respect to standard supply					
PRICE SURCHARGE	(for each key) with respect to standard supply					

System with Group Construction Key CG - A first key (construction key), the same for the whole group, is used during installation, after which it is replaced with a new, sealed set of keys which excludes all keys previously used by modifying the code. Construction Group Key System (CG) is available for all Champions® levels.



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO MODULAR	C28PLUS	C39	CP6	C55

FOR ALL CYLINDER SYSTEMS

FIRST MASTER KEY ENCLOSED

PRICE DECREASE (for each key) with respect to standard supply

PRICE SURCHARGE (for each key) with respect to standard supply

MASTER KEYS ADDITIONAL TO THE COST OF THE PRICE SURCHARGE

Supplied: n.1 card for construction key + n.1 card for cylinder.
n.1 construction key per 5 cylinder group (example: n.3 cylinders - n.1 key; n.7 cylinders - n.2 keys; n.50 cylinders - n.10 keys)

VARIO System - Each cylinder in the Champions® "Vario" system comes with 3 key levels – A, B, C. Each type has a unique code and is packed in a separately sealed packet. In case A key is lost or stolen, B key is inserted into the cylinder and A key is automatically excluded. The same mechanism is used to enable C key and automatically disable B key.

CHAMPIONS® "VARIO" IS AVAILABLE IN TWO VERSIONS:

"VARIO" SYSTEM 3/5+1+1



"VARIO" SYSTEM 1+3/5+1



3/5 main keys with red insert (A) - KEYS BLISTER

For normal use

1 first emergency key with yellow insert (B) - KEYS BLISTER

Used if a main key is lost or stolen: once inserted in the cylinder, it automatically excludes the previously used keys

1 second emergency key with white insert (C) - THE SEALED PACKET

If the yellow key is lost or stolen, this key is used to change the code of the cylinder again and to automatically exclude all previous keys

When ordering add the initial V to the Champions® code and specify the requested number of keys, for example:
CP8V313101/V keys 3+1+1

1 construction key with red insert (A) - KEYS BLISTER

For use during installation

3/5 main keys with yellow insert (B) - KEYS BLISTER

Upon completion of work, these keys are used to recode the cylinder and to automatically exclude the red key

1 emergency key with white insert (C) - THE SEALED PACKET

In case a main key is lost or stolen, this key is used to recode the cylinder again and to exclude all previously used keys

KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION		PROTECTED AND CONTROLLED KEY DUPLICATION
PRO MODULAR	C28PLUS	C39	C55


FOR ALL CYLINDER SYSTEMS

PRICE DECREASE (for each key) with respect to standard supply

PRICE SURCHARGE (for each key) with respect to standard supply

TANDEM SYSTEMS


"TANDEM" SYSTEM WITH SERVICE AND MASTER KEYS



NON-RESTRICTED KEY DUPLICATION	KEY DUPLICATION BY AUTHORIZED CENTRE	PROTECTED KEY DUPLICATION			PROTECTED AND CONTROLLED KEY DUPLICATION
C10	PRO/MODULAR	C28PLUS	C39	CP6	C55

Tandem is a master key system consisting of a pair of Mottura Champions® to be installed on a double cylinder lock. You can order a pair of matched Champions® (A+B) in which: cylinder A has a service function; cylinder B has a master key function. The Champions® master key can open the service champions®, **but not vice versa**. This function is available for Champions® in all versions. All models are supplied with 5 master keys + 2 service keys.


"TANDEM-CA" SYSTEM WITH CONSTRUCTION, SERVICE AND MASTER KEYS



C10	PRO/MODULAR	C28PLUS	C39	CP6	C55

Tandem is a master key system consisting of a pair of Mottura Champions® to be installed on a double cylinder lock. You can order a pair of matched Champions® (A+B) in which: cylinder A has a service function with construction key; cylinder B has a master key function. The construction key is disabled by the 2 service keys (A). The Champions® master key can open the service Champions®, **but not vice versa**. This function is available for Champions® in all versions. All models are supplied with 5 master keys + 2 service keys + 1 construction key.

"TANDEM-CA" SYSTEM WITH COMMON CONSTRUCTION KEY, SERVICE AND MASTER KEYS



C10	PRO/MODULAR	C28PLUS	C39	C55

Tandem-CA with common construction key is a master key system consisting of a pair of Mottura Champions® to be installed on a double cylinder lock. Cylinder "A" has a service function; cylinder "B" has a master key function. The construction key can open both cylinders and will be disabled by the 2 service keys "A" and by 5 master key "B". The Champions® master key (B) can open the service Champions® (A), **but not vice versa**. All models are supplied with 5 master keys + 2 service keys + 1 construction key (the number of keys can be changed request).

SET & RESET SERVICE KEY OPTION ON CHAMPIONS® PRO ONLY

Set and reset Service key on the same cylinder

PRO

"SET&RESET" - 1+3/5+1

GREEN SIDE

The service key operates normally. The cylinder is opened both by the blue master key and by the turquoise service key.

RED SIDE

The service key does not operate. The cylinder is only opened by the blue master key.

1 key with green and red half-shell
Used to activate / deactivate the service key.

3/5 blue master key - Allows the normal use of the cylinder (always).

1 turquoise service key

WARNING

Add AR to the cylinder code (Es.CP4D313101/AR).

Specify number and type of requested keys in sequence as follows:

n. SET/RESET
KEYS

+

n. MASTER
KEYS

+

n. SERVICE
KEYS

KEY DUPLICATION BY AUTHORIZED CENTRE



PRO

SERVICE

SET/RESET

FOR ALL CYLINDER SYSTEMS

PRICE DECREASE	(for each key) with respect to standard supply
PRICE SURCHARGE	(for each key) with respect to standard supply
PRICE SURCHARGE	(for each SERVICE key) with respect to standard supply
PRICE SURCHARGE	(for each SET/RESET key) with respect to standard supply

NEW CYLINDER

The BLUE MASTER KEY **ALWAYS OPEN** the cylinder.
The TURQUOISE SERVICE KEY **IS ABLE TO OPEN** the cylinder.

DEACTIVATE

The BLUE MASTER KEY **ALWAYS OPEN** the cylinder.
The TURQUOISE SERVICE KEY **IS TEMPORARILY NOT ABLE TO** operate the cylinder.

ACTIVATE

The BLUE MASTER KEY **ALWAYS OPEN** the cylinder.
The TURQUOISE SERVICE KEY **IS ABLE TO OPEN** the cylinder again.

The package contains: the cylinder, keys, 3 card of property, installation instructions and fixing screw.

To guarantee maximum security keys and cards are sealed and separated according to the version chosen.

Available for Champions® PRO only on "Mottura" key profile version. It is not possible to custom profiles.


SPARE PARTS FOR MASTER KEY SYSTEM



safeguarding your security


MADE
— IN —
ITALY

ORDER EXAMPLE OF A DOUBLE CYLINDER CP8D3646 WITHOUT INTERNAL COMPONENTS



N°	Article		Quantity
1	98CS23646	Shell for double cylinder	1
2	98CRV28B	Plug for double and half cylinder	2
3	98C1910605	Spacer for double cylinder	1
4	98C1910615	Spacer for double cylinder	1
5	98C1908405	Cylinder/stem spacer	2
6	98C1908410	Cylinder/stem spacer	1
7	98C47010	Plug retainer	4
8	98CAF508	Stem for double cylinder	1
9	98C76003	Cam for double cylinder	1
10	98C56123	Screw	1

ORDER EXAMPLE OF A HALF CYLINDER CP8M4100 WITHOUT INTERNAL COMPONENTS




N°	Article		Quantity
1	98CSM4100	Shell for half cylinder	1
2	98CRV28B	Plug for double and half cylinder	1
3	98C1914721	Spacer for half cylinder	1
4	98C32140	Spring	1
5	98C37540	Pin	1
6	98C47010	Plug retainer	2
7	98C76000	Cam for half cylinder	1
8	98C56123	Screw	1

98CS2....

Shell for double cylinder Champions®

Package of 10/20

Article	A	B - C	Pack/Pc.
98CS23131	62	31-31	20
98CS23136	67	31-36	10
98CS23141	72	31-41	10
98CS23636	72	36-36	10
98CS23146	77	31-46	10
98CS23641	77	36-41	10
98CS23151	82	31-51	10
98CS23646	82	36-46	10
98CS24141	82	41-41	10
98CS23156	87	31-56	10
98CS23651	87	36-51	10
98CS24146	87	41-46	10
98CS23161	92	31-61	10
98CS23656	92	36-56	10
98CS24151	92	41-51	10
98CS24646	92	46-46	10
98CS23166	97	31-66	10
98CS23661	97	36-61	10
98CS24156	97	41-56	10
98CS24651	97	46-51	10
98CS23171	102	31-71	10
98CS24161	102	41-61	10
98CS24656	102	46-56	10
98CS25151	102	51-51	10
98CS24661	107	46-61	10
98CS25156	107	51-56	10
98CS23181	112	31-81	10
98CS24171	112	41-71	10
98CS25161	112	51-61	10
98CS25656	112	56-56	10
98CS23191	122	31-91	10
98CS24181	122	41-81	10
98CS25171	122	51-71	10
98CS26171	132	61-71	10




98CSM....

Shell for standard half cylinder Champions®
for 14/20 mm thickness locks

Package of 10/20

Article	A	B - C	Pack/Pc.
98CSM3100	41	31	20
98CSM3600	46	36	20
98CSM4100	51	41	20
98CSM4600	56	46	20
98CSM5100	61	51	20
98CSM6100	71	61	10
98CSM7100	81	71	10
98CSM8100	91	81	10




98CSB....

Shell for standard half cylinder Champions®
for 30 mm thickness locks

Package of 10/20

Article	A	B - C	Pack/Pc.
98CSB3100	47	31	20
98CSB4100	57	41	20
98CSB5100	67	51	20
98CSB6100	77	61	10
98CSB7100	87	71	10
98CSB8100	97	81	10



98CAF340

Shell for standard Champions® Modular cylinder
complete with cap. (98C49041)



98CRV30B

Plug for double and half cylinder for Champions® C10 - C30 - C31
Standard length for all cylinders.
For personalized profiles replace letter B with letter P on the code (only C30-C31).

Package of 30



98CRVP8D

Plug for double and half cylinder for Champions® C28PLUS
Standard length for all cylinders.

Package of 30



98CRV28C

Plug for double and half cylinder for Champions® C28 - C29
Standard length for all cylinders.
For personalized profiles replace letter C with letter M on the code.

Package of 30



98CRVP8P

Plug for double and half cylinder for Champions® C28PLUS personalized profiles.
Standard length for all cylinders.

Package of 30



98CRV38B

Plug for double and half cylinder for Champions® C38
Standard length for all cylinders.

Package of 30



98CRV39D

Plug for double and half cylinder for Champions® C39
Standard length for all cylinders.

Package of 30



98CRV43C

Plug for double and half cylinder for Champions® C43 - C44
Standard length for all cylinders.

Package of 30



98CRVP3S

Plug for double and half cylinder for Champions® C43PLUS
Standard length for all cylinders.

Package of 30



98CRVP4F

Plug for double and half cylinder for Champions® PRO - Modular
Standard length for all cylinders.

Package of 30



98CRVP6S

Plug for double and half cylinder for Champions® CP6
Standard length for all cylinders.

Package of 30



98CRVP4G

Plug for double and half cylinder for Champions® PRO personalized profiles and Modular personalized profiles.
Standard length for all cylinders.


Package of 30



98C77011

Plug for adjustable knob Champions®

Package of 5






98C77054..

Article	C	D
98C7705430	31	46,3
98C7705435	36	51,3
98C7705440	41	56,3
98C7705445	46	61,3
98C7705450	51	66,3
98C7705455	56	71,3
98C7705460	61	76,3
98C7705470	71	86,3
98C7705480	81	96,3
98C7705490	91	106,3

Plug for fixed knob Champions®
C = cylinder length reference position
Package of 5



98C7705435

98C37640..

Article	L
98C37640-2	9
98C37640-3	9,5
98C37640-4	10

Spacer pin for Champions® C30/31-C38-C39
Package of 100



98C42076..

Article
98C42076

Magnetic plate for Champions® C30/31-C38-C39
Package of 100



98C19106..

Article	C	A
98C1910605	36	5
98C1910610	41	10
98C1910615	46	15
98C1910620	51	20
98C1910625	56	25
98C1910630	61	30
98C1910640	71	40
98C1910650	81	50
98C1910660	91	60

Spacer for double cylinder for Champions®
C = cylinder length reference position
Package of 5

98C1910605



98C37566..

Article	L
98C37566-1	6
98C37566-2	6,45
98C37566-3	6,9
98C37566-4	7,35
98C37566-5	7,8
98C37566-6	8,25


Anti-picklock top pin for Champions®.
Package of 100



98C37505..

Article	L
98C37505-0	4
98C37505-2	5
98C37505-3	5,5

Bottom pin for Champions®.
Package of 100




98C19147..

Article	C	A
98C1914711	31	11
98C1914716	36	16
98C1914721	41	21
98C1914731	51	31
98C1914741	61	41
98C1914751	71	51
98C1914761	81	61
98C1914771	91	71

Spacer for half cylinder on the opposite side of the key
for Champions®
B = cylinder length reference position
Package of 5


98C1914711



98C37506..

Article	L
98C37506-0	4
98C37506-2	5
98C37506-3	5,5
98C37506-30T	5,5

Anti-picklock bottom pin for Champions®.
Package of 100



98C37567..

Article	L
98C37567-1	5,4
98C37567-2	5,7
98C37567-3	6,2

Top pin on magnetic plate
for Champions® C30/31-C38-C39
Package of 100



98C32116

Coding spring for Champions®.
Package of 100



98C49012

Cap for Shell - L = 4 mm for Champions®.
Package of 100



98C76000

Cam for half cylinder for Champions®.
Package of 10/50



98C37503

Article	L
98C37503	5,3
98C37503S	6,05

Side profile control pin for Champions®.
Package of 50



98C76001

Cam for cylinder with knob for Champions®.
Package of 10/50



98C37504..

Article	L
98C37504-0	5,55
98C37504-1	6
98C37504-2	6,45
98C37504-3	6,9
98C37504-4	7,35
98C37504-5	7,8
98C37504-6	8,25

Coding pin for Champions®.
Package of 100



98C76003

Cam for double cylinder for Champions®.
Package of 10/50



98CKDF0000

Stem and cam for double frictioned cylinder
for Champions®.
Package of 10



98C37507

Fixed key control pin for Champions®.
L=5,5 mm
Package of 50



98CAF281

Stem and cam for double frictioned cylinder
for Champions® Modular-PRO-C39.
Package of 10



98C37508


Mobile key control pin for Champions®.
L=5,3 mm
Package of 50





98CAF508

Stem for double cylinder Champions®.
Package of 10/50



98C32118

Spring for cylinder with knob for Champions®.
Package of 50



98CAF280

Stem for double cylinder for Champions®
Modular-PRO-C39.
Package of 10/50




98C37540

Pin for half cylinder for Champions®.
Package of 50



98CAF243

Stem for cylinder with fixed and adjustable knob
for Champions®.
Package of 10/50



98C32140

Spring for half cylinder for Champions®.
Package of 50



98CAF282

Stem for cylinder with fixed and adjustable knob
for Champions® Modular-PRO-C39.
Package of 10/50



98C32376

Coding spring for Champions® Modular.
Package of 50



98C19084..

Article	L
98C19084-5	5
98C19084-10	10
98C19084-20	20
98C19084-30	30

Cylinder-stem spacer for Champions® cylinder.
Package of 100



98C37A045..

Article	Shape
98C37A045-A	--
98C37A045-B	/
98C37A045-C	
98C37A045-D	\
98C37A045-E	+
98C37A045-F	x

Upper key control pin for Champions®
Modular-PRO-C28PLUS-C39-CP6
Package of 100



98C47010..

Article	Thickness
98C47010	1
98C47010-1	0,9
98C47010-2	1,1

Plug retainer for Champions®.
Package of 100



98C37A046

Upper key control cap for Champions®
Modular-PRO-C28PLUS-C39
Package of 100



98C37A298..

Article

98C37A298_S
98C37A298_T
98C37A298_U
98C37A298_V
98C37A298_W

Rotating steel pin for Champions® CP6
Package of 100



98C37A049

Lateral key control cap for Champions®
Modular-PRO-C28PLUS-C43PLUS-CP6
Package of 100



98C99428

Sphere for Vario systems for Champions®.
Package of 100



98C37A205

Upper key control pin for CC master key system
for Champions® Modular-PRO-C28PLUS-C39
Package of 100



98C56123

Screw 5x80 for Champions®.
Package of 25



98CAF241

Mantonet for Champions® C43-C43PLUS-CP6.
Package of 100



98C37501..

Article

L

98C37501-1	0,9
98C37501-2	1,35
98C37501-3	1,8
98C37501-4	2,25
98C37501-5	2,7

Bottom pin for masterizing for Champions®.
Package of 100



98CAF242..

Article

98CAF242_A
98CAF242_B
98CAF242_C
98CAF242_D
98CAF242_E

Rotating steel pin for Champions® C43PLUS
Package of 100



98C49013..

Article

Color

98C49013R	Red
98C49013V	Green
98C49013B	Blue
98C49013G	Yellow
98C49013W	White

Grip identification insert for Champions®.
Package of 25



98CAF242R..

Article

98CAF242R_F
98CAF242R_G
98CAF242R_H
98CAF242R_I
98CAF242R_J

Rotating steel pin for Champions® C43
Package of 100



98C49050..

Article

Color

98C49050G	Grey
98C49050R	Red
98C49050W	White

Grip identification insert for Champions® C3D.
Package of 25





98C76004

Cogwheel cam Ø 24 mm - z = 10
for double cylinder Champions®.
Package of 1



98C76010

Cogwheel cam Ø 26,5 mm - z = 16
for double cylinder Champions®.
Package of 1



98C76005

Cogwheel cam Ø 24 mm - z = 10 for half cylinder
and cylinder with knob for Champions®.
Package of 1



98C76017

Cogwheel cam Ø 30 mm - z = 18
for double cylinder Champions®.
Package of 1



98C76006

Cogwheel cam Ø 24 mm - z = 14
for double cylinder Champions®.
Package of 1



98C76018

Cogwheel cam Ø 30 mm - z = 18 for half cylinder
and cylinder with knob for Champions®.
Package of 1



98C76007

Cogwheel cam Ø 24 mm - z = 14 for half cylinder
and cylinder with knob for Champions®.
Package of 1



98C52041

Stem for half cylinder with cogwheel cam.
Package of 10



98C76008

Cogwheel cam Ø 30 mm - z = 13
for double cylinder Champions®.
Package of 1



98C76009

Cogwheel cam Ø 30 mm - z = 13 for half cylinder
and cylinder with knob for Champions®.
Package of 1



98C37542..

Article

L

98C37542_0

2

98C37542_2

2,9

98C37542_4

3,8

Bottom pin for cylinder series "Fichet" and "Swiss"
Package of 100




98C32211

Spring for "Rim Lock"
Package of 50



98C37741

Bottom pin for "Cam Lock", "Rim Lock", CP8SC10/21/22IN1,
CP8SC4700/10/21, CP8SC47ES1/IN1, LOOL247/255/355
Package of 100



98C32251

Spring for CP8SC21IN1 and CP8SC22IN1
Package of 50



98C32202

Spring for cylinder series "Fichet" and "Swiss"
Package of 50



98C47058

Plug retainer for cylinder (1 mm thickness)
98M..C421IN - 98M..C422IN - 98M..C4721
Package of 50



98C32185

Spring for cylinder CP8SC10IN1, CP8SC4700/10/21,
CP8SC47ES1/IN1, 98M28L247 e 98M28L255
Package of 50



98CAF275

Stem for cylinder "Fichet" type
Package of 10





98C32186

Spring for "Cam Lock"
Package of 50







Replace .. with the type of chosen Champions® cylinder with: 28 for Champions® C28 - 30 for Champions® C30 - 38 for Champions® C38 - P4 for Champions® PRO - P8 for Champions® C28PLUS - 39 for Champions® C39 - P3 for Champions® C43PLUS - P6 for Champions® CP6


<h2>98M..C4700</h2> <p>Cylinder group for art. C28SC4700 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>	<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>	
<h2>98M..C47IN</h2> <p>Internal cylinder for art. C28SC47IN1 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>	<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>	
<h2>98M..C47ES</h2> <p>External cylinder for art. C28SC47ES1 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>	<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>	
<h2>98M..C4710</h2> <p>Cylinder group for art. C28SC4710 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>	<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>	
<h2>98M..C10IN</h2> <p>Internal cylinder for art. C28SC10IN1 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>	<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>	


Replace .. with the type of chosen Champions® cylinder with: 28 for Champions® C28 - 30 for Champions® C30 - 38 for Champions® C38 - P4 for Champions® PRO - P8 for Champions® C28PLUS - 39 for Champions® C39 - P3 for Champions® C43PLUS - P6 for Champions® CP6

<h1>98M..C4721</h1> <p>Cylinder group for art. C28SC4721 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>		<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>							
<h1>98M..C21IN</h1> <p>Internal cylinder for art. C28SC21IN1 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>		<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>							
<h1>98M..C22IN</h1> <p>Internal cylinder for art. C28SC22IN1 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>		<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>							
<h1>98M..T2900</h1> <p>Cylinder group for art. C28ST29001 Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1</p>		<p>WARNING Special filling materials are used to fill pin holes on the cylinder shell</p>							
<h1>98CSF....</h1> <table><tr><th>Article</th><th>A</th></tr><tr><td>98CSF3600</td><td>36</td></tr><tr><td>98CSF5300</td><td>53</td></tr></table> <p>Cylinder group for “Fichet 787” type Package of 10</p>		Article	A	98CSF3600	36	98CSF5300	53	<p>WARNING Special filling materials and normal rotors are used not operable on Champions® PRO and C39</p>	
Article	A								
98CSF3600	36								
98CSF5300	53								

Replace .. with the type of chosen Champions® cylinder with: 28 for Champions® C28 - 30 for Champions® C30 - 38 for Champions® C38 - P4 for Champions® PRO - P8 for Champions® C28PLUS - 39 for Champions® C39 - P3 for Champions® C43PLUS - P6 for Champions® CP6

98CSE....		WARNING Special filling materials and normal plug are used. NOT available on Champions® PRO and C39	
Article	A		
98CSE3600	36		
98CSE5300	53		
Shell group cylinder for "Fichet 484" type Package of 10			

98CSS....			WARNING Special filling materials are used to fill pin holes on the cylinder shell. Use normal plug.	
Article	A	B - C		
98CSS3131	62	31-31		
98CSS3136	67	31-36		
98CSS3141	72	31-41		
98CSS4141	82	41-41		
98CSS4161	102	41-61		
98CSS5151	102	51-51		
Shell for "Swiss" type cylinder Package of 10				

98M..B4100	WARNING Special filling materials are used to fill pin holes on the cylinder shell	
"Cam Lock Ø 23" cylinder group Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1		

98M..A31ES	WARNING Special filling materials are used to fill pin holes on the cylinder shell.	
External cylinder for "Scandinavian oval" type Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1		

98M..A31IN	WARNING Special filling materials are used to fill pin holes on the cylinder shell.	
Internal cylinder for "Scandinavian oval" type Champions® C28-C30-C38 Champions® PRO-C28PLUS-C39-C43PLUS-CP6 Package of 1		

KNOBS




safeguarding your security

MADE
— IN —
ITALY

99505..

Article	Finish
99505AA	Silver satin
99505NS	Satin nickel plated
99505BR	Anodised bronze
99505OL	Polish brass
99505CR	Chromed
99505CS	Satin finish chrome


Round knob with screw for cylinder with knob provision for Champions®
Package of 5





99513..

Article	Finish
99513AA	Silver satin
99513NS	Satin nickel plated
99513BR	Anodised bronze
99513OL	Polish brass
99513CR	Chromed

Shaped knob with screw
Package of 5



EXAMPLE OF ADJUSTABLE KNOB MOUNTING



Only for cylinders with knob provision and incorporated knob

Cut the tang of the desired size, insert the knob and fasten with an allen key.

MOUNTING TOOLS, CUTTERS AND FEELER



safeguarding your security

MADE
— IN —
ITALY

98AC01 Caps driving tool including punch. Package of 1		98AC03-2 Lever for caps driving set. Package of 1		98C99494 Feeler for calibration for Multicode cutting machine. Package of 1	
98AC01-1 Punch for cylinders stator. Package of 1		98AC04 Cylinder stem mounting tool. Package of 1		98C99495 Feeler for decoding for Multicode cutting machine. Package of 1	
98AC08-1 Punch for padlock stator. Package of 1		98AC05 Cylinder cam mounting tool. Package of 1		98C99500 Cutter for Multicode cutting machine. Package of 1	
98AC08-2 Extractor for padlock stator. Package of 1		98AC06 Distance meter for dimple keys (applicable on calliper). Package of 1		98C99438T Champions® caps cutter for electronic / mechanical duplicator. Package of 1	
98AC02 Cylinder pins mounting spring. Package of 1		98AC07 Installation tool for pins. Package of 1		98C99441 Champions® feeler encryption caps duplication to copy. Package of 1	
98AC03 Caps driving set including lever. Package of 1		98AC25 Assembly tool Champions® Modular cylinders version with fixing screws Package of 1			
98AC03-1 Bar for caps driving set. Package of 1		98C99493 Cutter-graver (engraved code) for Multicode cutting machine. Package of 1			