


**SWITCHLOCKS
SUPPLEMENTAL LOCKS
OPENING LIMITERS**

96




safeguarding your security

**MADE
IN
ITALY**

96.030

Switchlock for art. 45.750
Bar travel 28 mm
Five-points bar travel 36 mm




96.143

Finish

Brown enamelled

Switchlock for five-points
rim locks Series 20, 30
and for art. 52.572 (for armoured doors)
Bar travel 17 mm
Five-points bar travel 40 mm
Including accessories.




96.145

Finish


Brown enamelled

Switchlock for five-points
rim locks Series 38
Bar travel 17 mm
Five-points bar travel 29 mm
Including accessories.




96.076 with 2 bolts

Switchlock for armoured doors.
Bolts travel mm 36, centre distance mm 28/37/50/53.
Suitable with locks with bar travel 20 mm (max.)
The item is supplied left or right-hand (specify in the order).
Package of 10



96.076/I with 2 bolts

Mortise-type switchlock for armoured doors.
Bolts travel mm 36, centre distance mm 28/37/53.
Suitable with locks with bar travel 20 mm (max.)
The item is supplied left or right-hand (specify in the order).
Package of 10



96.086/1 with 1 bolt


Switchlock for armoured doors with cover.

Bolts travel 36 mm

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order).

Package of 10



96.086/2 with 2 bolts


Switchlock for armoured doors with cover.

Bolts travel mm 36, centre distance mm 37/50/53.

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order).

Package of 10



96.086/l with 2 bolts


Mortise-type switchlock with cover for armoured doors.

Bolts travel mm 36, centre distance mm 50/53.

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.086T/1 with 1 bolts


Welded switchlock for armoured doors.

Bolts travel 36 mm

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.086T/2 with 2 bolts


Welded switchlock for armoured doors.

Bolts travel mm 36, centre distance mm 53.

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)


Package of 10



[illegible][illegible]


96.246/I with 2 bolts

Mortise-type ambidextrous switchlock for armoured doors.
Bolts travel mm 42, centre distance mm 50.
Suitable for locks with bar travel 40 mm (max.)
With cover.




96.251/1 with 1 bolt

Ambidextrous switchlock for armoured doors.
Bolt travel 30 mm
Suitable for locks with bar travel 20 mm (max.)
With fixing bushings and cover
Tested according to EN 12209.




96.251/I with 1 bolt

Mortise-type ambidextrous switchlock for armoured doors.
Bolt travel 30 mm
Suitable for locks with bar travel 20 mm (max.)
With cover.
Tested according to EN 12209.




96.251/2 with 2 bolts

Ambidextrous switchlock for armoured doors.
Bolts travel 30 mm centre distance 28/37 mm
Suitable for locks with bar travel 20 mm (max.)
With fixing bushings and cover.
Tested according to EN 12209.



96.251/I2 with 2 bolts

Mortise-type ambidextrous switchlock for armoured doors.
Bolts travel 30 mm centre distance 28/37 mm
Suitable for locks with bar travel 20 mm (max.)
With cover.
Tested according to EN 12209.






96.265 with 1 bolt

Switchlock for armoured doors

Bolt travel 40 mm

Suitable for locks with bar travel from 20 to 40 mm

The item is supplied right-hand (high right or low left) or left-hand (high left or low right) (specify in the order)




96.265/N with 1 bolt

Switchlock for armoured doors

Bolt travel 40 mm

Suitable for locks with bar travel from 20 to 40 mm

The item is supplied right-hand (high right or low left) or left-hand (high left or low right) (specify in the order)



96.270 with 2 bolts

Switchlock for armoured doors

"MM profile" bolts

Bolts travel 36 mm centre distance 36/50 mm


Bar travel 20 mm

Suitable for locks art. 87.430/440

With cover.

The item is supplied left or right-hand (specify in the order)

Package of 10



96.272 with 1 bolt

Ambidextrous switchlock for armoured doors

"MM profile" bolt


Bolt travel 30 mm - Bar travel 20 mm

Suitable for locks art. 87.430/440

With fixing bushings and cover.

Tested according to EN 12209

Package of 10



96.273 with 1 bolt

Ambidextrous switchlock for armoured doors.


Bolt travel 30 mm - Bar travel 20 mm

Suitable with locks art. 87.430/440 mm

With fixing bushings and cover.

Tested according to EN 12209

Package of 10



96.273/2 with 2 bolts


Ambidextrous switchlock for armoured doors.
Bolts travel 30 mm centre distance 28/37 mm
Bar travel 20 mm

Suitable with locks art.87.430/440

With fixing bushings and cover.

Tested according to EN 12209.

Package of 10



96.274 with 2 bolts

Switchlock for armoured doors

Bolts travel 36 mm centre distance 50/53 mm


Bar travel 20 mm

Suitable with locks art.87.430/440

With cover.

The item is supplied left or right-hand (specify in the order)

Package of 10



96.298 with 2 bolts


Ambidextrous switchlock.

Bolts travel 36 mm centre distance 28 mm

Suitable with locks art. 72.579

Suitable for locks with bar travel 20 mm

With fixing bushings and cover.



96.298/I with 2 bolts


Mortise-type ambidextrous switchlock.

Bolts travel 36 mm centre distance 28 mm

Suitable with locks art. 72.779

Suitable for locks with bar travel 20 mm

With cover



96.299/I with 2 bolts


Mortise-type ambidextrous
switchlock for armoured doors.

Bolts travel 18 mm centre distance 28 mm

Suitable with locks art. 72.140- 85.140

Suitable for locks with bar travel 18 mm

With cover



96.301/1 with 1 bolt

Switchlock for armoured doors with cover.


For locks thickness 25 mm (85A series)

Bolts travel 36 mm

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.301/I with 1 bolt

Mortise-type switchlock with cover for armoured doors.


For locks thickness 25 mm (85A series)

Bolts travel 36 mm

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.301/2 with 2 bolts

Switchlock for armoured doors with cover.


For locks thickness 25 mm (85A series)

Bolts travel 36 mm centre distance 28/37 mm.

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.301I/2 with 2 bolts

Mortise-type switchlock with cover for armoured doors.


For locks thickness 25 mm (85A series)

Bolts travel 36 mm centre distance 28/37 mm.

Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)

Package of 10



96.302/2 with 2 bolts

Switchlock for armoured doors with cover.


For locks thickness 25 mm (85A series)

Bolts travel 36 mm centre distance 50/53 mm.


Suitable with locks with bar travel 20 mm (max.)

The item is supplied left or right-hand (specify in the order)


Package of 10




Package of 10



The item is supplied left or right-hand (specify in the order)




The item is supplied left or right-hand (specify in the order)




96.092

Opening limiter activated by q 8 square handle.
The item is supplied left or right-hand (specify in the order)
The door holder is not included see Series 99
Package of 10




96.092/N

Opening limiter activated by q 8 square handle.
The item is supplied left or right-hand (specify in the order)
The door holder is not included see Series 99
Package of 10




96.093/I

Mortise-type opening limiters activated by q 8 square handle.
Adjustable projection 8 mm.
The item is supplied left or right-hand (specify in the order)
The door holder is not included see Series 99
Package of 10




96.094

Knob operated opening limiter.
The article is ambidextrous.
The door holder is not included see Series 99
Package of 10



96.096

Secondary locking activated by q 8 square handle.
The item is supplied left or right-hand (specify in the order)
Package of 10



96.254/l

Secondary locking + mortise-type opening limiter
activated by q 8 square handle.


Adjustable projection

With cover

The item is supplied left or right-hand (specify in the order)

The door holder is not included see series 99

Package of 10




96.750


Switchlock for secondary wing
activated by q 8 square handle.

Bar travel 36 mm


With fixing bushings and cover.



96.105/205



96.404/415



96.105...

Code	Face plate finish
96.105	Inox
96.105M6	Inox
96.105M8	Inox

Ambidextrous mortise-type switchlock
Flat deadbolt
Bolt travel 24 mm
Bar travel 28 mm

Mortise-type or threaded bar fittings **M6 art. 99237006** in plastic or **M8 art. 99237008** metal specify in the order.

Accessories not included.



96.205...

Code	Face plate finish
96.205	Inox
96.205M6	Inox
96.205M8	Inox

Ambidextrous mortise-type switchlock
Hook deadbolt
Bolt travel 24 mm
Bar travel 28 mm


Mortise-type or threaded bar fittings **M6 art. 99237006** in plastic or **M8 art. 99237008** metal specify in the order.


Accessories not included.







96.404...		Mortise-type or threaded bar fittings M6 art. 99237006 in plastic or M8 art. 99237008 metal specify in the order.	
Code	Face plate finish	Accessories not included.	
96.404	Inox	UNTIL STOCKS LAST	
96.404M6	Inox		
96.404M8	Inox		
Mortise-type locking and release striker plate for second wing (for locks without latchbolt and without hook). Handle axes 25.5 mm Handle operated q 8. Bar travel 28 mm			


96.405...		Mortise-type or threaded bar fittings M6 art. 99237006 in plastic or M8 art. 99237008 metal specify in the order.	
Code	Face plate finish	Accessories not included.	
96.405	Inox		
96.405M6	Inox		
96.405M8	Inox		
Mortise-type locking and release striker plate for second wing (for locks without latchbolt and without hook). Handle axes 25.5 mm Handle operated q 8 or lever (90° travel). Bar travel 28 mm			

96.406...		Mortise-type or threaded bar fittings M6 art. 99237006 in plastic or M8 art. 99237008 metal specify in the order.	
Code	Face plate finish	Accessories not included.	
96.406	Inox		
96.406M6	Inox		
96.406M8	Inox		
Mortise-type locking and release striker plate for second wing (for locks without latchbolt and without hook). Operation via retractable lever 180° travel. Bar travel 28 mm			


96.414...		Mortise-type or threaded bar fittings M6 art. 99237006 in plastic or M8 art. 99237008 metal specify in the order.	
Code	Face plate finish	Accessories not included.	
96.414	Inox	UNTIL STOCKS LAST	
96.414M6	Inox		
96.414M8	Inox		
Mortise-type locking and release striker plate for second wing (for locks with latchbolt and without hook). Handle axes 25.5 mm Handle operated q 8. Bar travel 28 mm			

96.415...		Mortise-type or threaded bar fittings M6 art. 99237006 in plastic or M8 art. 99237008 metal specify in the order.	
Code	Face plate finish	Accessories not included.	
96.415	Inox		
96.415M6	Inox		
96.415M8	Inox		
Mortise-type locking and release striker plate for second wing (for locks with latchbolt and without hook). Handle axes 25.5 mm Handle operated q 8 or lever (90° travel). Bar travel 28 mm			

96.420



96.420/I



96.420

Locking for second wing for armoured doors
Operated with retracting lever travel 180°.
Bar travel 28 mm

Accessories not included.



96.420/I

Face plate finish



Inox

Mortise-type locking for second wing for armoured doors
Operated with retracting lever travel 180°.
Bar travel 28 mm

Accessories not included.



96.504



96.504...


Article	Face plate finish
96.504	Zinc-plated
96.504M6	Zinc-plated
96.504M8	Zinc-plated

Ambidextrous mortise-type switchlock
(for double hook locks 47503/504)
Deadbolt with automatic anti-lifting lock
Bolt travel mm 26
Bar travel mm 25
Face plates and striker plates in zinc-plated finish.



The article is reversible.

Mortise-type or threaded bar fittings **M6 art. 99237006**
in plastic or **M8 art. 99237008** metal specify in the order.

Accessories not included.



96.506



96.506...


Article	Face plate finish
96.506	Zinc-plated
96.506M6	Zinc-plated
96.506M8	Zinc-plated

Ambidextrous mortise-type switchlock
(for double hook locks 47505/506)
Deadbolt with automatic anti-lifting lock
Bolt travel mm 26
Bar travel mm 25
Face plates and striker plates in zinc-plated finish.



The article is reversible.

Mortise-type or threaded bar fittings **M6 art. 99237006**
in plastic or **M8 art. 99237008** metal specify in the order.

Accessories not included.



96.503



96.503...

Article	Face plate finish
96.503	Zinc-plated
96.503M6	Zinc-plated
96.503M8	Zinc-plated

Locking for second wing for armoured doors
(for locks with double hook 47504)

Operated by a retractable lever, positioned on the face plates.


Bars travel 25 mm

Face plates and striker plates in zinc-plated finish.



The article is reversible.

Mortise-type or threaded bar fittings **M6 art. 99237006**
in plastic or **M8 art. 99237008** metal specify in the order.

Accessories not included.



96.505



96.505...

Article	Face plate finish
96.505	Zinc-plated
96.505M6	Zinc-plated
96.505M8	Zinc-plated

Locking for second wing for armoured doors
(for locks with double hook 47505/506)

Powered by PIN screw placed on the faceplate.

Bars travel 25 mm

Face plates and striker plates in zinc-plated finish.

The article is reversible.

Mortise-type or threaded bar fittings **M6 art. 99237006**
in plastic or **M8 art. 99237008** metal specify in the order.

Accessories not included.

