

37



LATCHES FOR EUROPROFILE CYLINDER

FORZA 7



MADE IN ITALY

37.210



Characteristics

- Vertical and Three-points
- Flat or hook swing deadbolt with automatic anti-lifting lock
- Bolt travel 25 mm
- Bolt and bar command with THROUGH square hole $\square 8$ and cylinder locking
- Aluminium bars and lock-cover black enamelled.
- All items are reversible

Supplied with:

- bar collars
- floor striker plate
- upper clasp

BARS, CYLINDER AND OTHER ACCESSORIES ARE NOT INCLUDED.

IMPORTANT

Before installation, make sure there is enough clearance between the shutter and window/frame (40 mm)
If the half cylinder is used use type **M**.

It is RECOMMENDED to use CHAMPIONS® security cylinders



37.100

Vertical

Activation by $\square 8$ handle
Bar travel 28 mm

Bars **NOT** included




37.110

Three-points

with FLAT swing deadbolt
Activation by $\square 8$ handle
Bar travel 28 mm
Including striker plate

Bars **NOT** included



37.120

Three-points

with HOOK swing deadbolt
Activation by $\square 8$ handle
Bar travel 28 mm
Including striker plate

Bars **NOT** included



<h2>37.200</h2>	Bars NOT included	
<p>Vertical Activation by 8 handle and cylinder locking. Bar travel 28 mm Including internal escutcheon</p>		
<h2>37.210</h2>	Bars NOT included	
<p>Three-points with FLAT swing deadbolt Activation by 8 handle and cylinder locking. Bar travel 28 mm Including internal escutcheon and striker plate</p>		
<h2>37.220</h2>	Bars NOT included	
<p>Three-points with HOOK swing deadbolt Activation by 8 handle and cylinder locking. Bar travel 28 mm Including internal escutcheon and striker plate</p>		
<h2>37.500</h2>	It also works as release striker plate and when the bolt engages the locking of the second wing, the bars no longer retract . Bars NOT included	
<p>Striker plate and vertical locking for the second wing. Bar travel 28 mm Operation with retractable lever (180° travel).</p>		
<h2>94.336</h2>		
<p>Finish</p>		
<p>Black enamelled</p>		
<p>Striker plate built-in</p>		

93.326	
Finish	
Black enameled	

Aluminium bar pair 10x20 mm with ferrule Ø 10 mm
 n.1 of 148 cm with adjustable 15 mm projecting ferrule
 n.1 of 95 cm with adjustable straight ferrule for series **37**

93.327	
Finish	
Black enameled	

Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule
 Length cm 95 for series **37**

93.328	
Finish	
Black enameled	

Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule
 Length cm 146 for series **37**

93.329	
Finish	
Black enameled	


Aluminium bar pair 10x20 mm with ferrule Ø 10 mm
 n.1 of 146 cm with adjustable mm projecting ferrule
 n.1 of 95 cm with adjustable straight ferrule for series **37**

93.330	
Finish	
Black enameled	


Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule 15
 Length cm 119 for series **37**

93.331	
Finish	
Black enameled	


Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule
 Length cm 32 for series **37**




94.11101..		
Code	Finish	Th. [mm]
94.11101	Black enamelled	2.5
94.11101/1	Black enamelled	1
Spacer for Defender® 94.920 Package of 25		




94.920
Finish
Black enamelled
Zamak reinforcement Defender® mm 32 x 75 x 18.5 for series 32-37-47 backset protection: 6 mm Backset slot of 3.5 or 5 mm (specify in order)




94.922
Finish
Black enamelled
Steel reinforcement Defender® mm 32 x 75 x 18.5 for series 32-37-47 backset protection: 6 mm Backset slot of 3.5 or 5 mm (specify in order)




95.420
Finish
Black enamelled
External escutcheon mm 32 x 75 x 8.5 including metal support for series 37, 47 Package of 10




95.429/P
Finish
Black enamelled
Internal escutcheon mm 32 x 75 x 8.5 with special metal support for cylinders with knob for series 37, 47 Package of 10



99.167
Finish
Brass
Floor striker plate for bars Ø 10 mm possible screw fixing Depth 24 mm Package of 10




99.299
Finish
Brass
Floor striker plate with sprung closure for bars Ø 10 mm travel 30 mm Depth 38 mm package of 10



99.520
Finish
Black enamelled
Compact handle, with automatic return. Square \sphericalangle 8 mm




99.522
Finish
Black enamelled
Washer for handle 99520 th.4 mm Ø 38 mm



99.526
Finish
Zinc-plated
Square pin \sphericalangle 8 mm with plug for series 37 and 47

