

# 93


## BARS





ACCESSORIES  
KEYS - BARS





*safeguarding your security*


<b>93.089</b>	
<b>Finish</b>	
Zinc-plated	
Bar Ø 18 mm Length 33 cm Cap Ø 18 mm length cm 6 for art. 45.853/854 locks	


<b>93.140</b>	
<b>Finish</b>	
Brown enamelled	
Chrome	
Black enamelled	
Zinc-plated	
Bar pair Ø 18 mm adjustable from 152 cm to 270 cm total 1 from 76 to 131 cm - 1 from 76 to 139 cm	


<b>93.140PV</b>	
<b>Finish</b>	
Black enamelled-PVD gold	
Bar pair Ø 18 mm adjustable from 152 cm to 270 cm total 1 from 76 to 131 cm - 1 from 76 to 139 cm Gold PDV finish adjusting ring nut Stainless steel fixing dowels For series <b>34...PV</b>	


<b>93.140INF</b>	
<b>Finish</b>	
Zinc-plated	
Bar pair Ø 18 mm for mortise-type lock adjustable from 152 cm to 270 cm total 1 from 76 to 131 cm - 1 from 76 to 139 cm	


<b>93.141</b>	
<b>Finish</b>	
Brown enamelled	
Chrome	
Zinc-plated	
Pack of No. 5 bars Ø 18 mm. adjustable: 2 from 76 cm. to 131 cm; 2 from 76 cm to 139 cm; 1 from 49.5 cm to 80 cm;	


<b>93.179</b>	
<b>Finish</b>	
Brown enamelled	
Pack of 4 Ø 18 mm adjustable bars from 73.5 cm to 136.5 cm for art. 32.1000	
<b>Until stocks last</b>	


<b>93.189</b>	
<b>Finish</b>	
Brown enamelled	
Chrome	
Zinc-plated	
Ø 18 mm bar adjustable from 153 cm to 217 cm	

<b>93.192</b>	
<b>Finish</b>	
Brown enamelled	
Black enamelled	
Ø 18 mm bar adjustable from 156 cm to 220 cm with Ø 10 mm ferrule	

<b>93.227</b>	
<b>Finish</b>	
Zinc-plated	
Bent bar pair Ø 8 mm with insert connection for art. 41.821/823/825 1-124 cm - 1-99 cm 2 Ø 8 mm caps 8 cm long <b>Package of 5 pairs</b>	

<b>93.228</b>	
<b>Finish</b>	
Zinc-plated	
Threaded M6 bar pair Ø 8 mm for art. 41.821/823/825 1-126 cm - 1-101 cm 2 caps Ø 8 mm 8 cm long <b>Package of 5 pairs</b>	

<b>93.242Z</b>	
<b>Finish</b>	
Zinc-plated	
Bar pair Ø 18 mm adjustable from 99 cm to 160 cm total 2 from 49.5 cm to 80 cm	

<b>93.242Z025</b>	
<b>Finish</b>	
Zinc-plated	
Bar pair Ø 18 mm adjustable from 99 cm to 160 cm total 2 from 49.5 cm to 80 cm for lock thickness 25 mm	

<b>93.242INF</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm for mortise-type lock adjustable from 99 cm to 160 cm total 2 from 49.5 cm to 80 cm</p>	

<b>93.252INF</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm for mortise type lock 2 of 99 cm 2 caps Ø 18 mm length 6 cm</p>	

<b>93.243</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm adjustable from 44 cm to 64 cm total 2 from 22 cm to 32 cm</p>	

<b>93.271</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 10 mm with insert connection for art. 40.721, 40.741 2 from 104 cm 2 caps Ø 10 mm length 4 cm <b>Package of 5 pairs</b></p>	

<b>93.243INF</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm for mortise-type lock adjustable from 44 cm to 64 cm total 2 from 22 cm to 32 cm</p>	

<b>93.276</b>	
<b>Finish</b>	
Zinc-plated	
<p>Threaded M6 bar pair Ø 8 mm for series <b>40, 47</b> 1 of 101.5 cm - 1 of 127 cm 2 caps Ø 10 mm length 4 cm <b>Pack of 6 pairs</b></p>	

<b>93.244</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm adjustable 1 from 76 cm to 139 cm 1 from 49.5 cm to 80 cm</p>	

<b>93.277</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with insert connection for series <b>40, 47</b> 1 of 99 cm - 1 of 124 cm 2 caps Ø 10 mm length 4 cm <b>Pack of 6 pairs</b></p>	







<b>93.244INF</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 18 mm for mortise type lock - adjustable 1 from 76 cm to 139 cm 1 from 49.5 cm to 80 cm</p>	







<b>93.278</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with threaded M6 connection for series <b>40</b> 2 of 60 cm 2 caps Ø 10 mm length 4 cm</p>	

<b>93.248</b>	
<b>Finish</b>	
Zinc-plated Brown enamelled	
<p>Ø 18 mm bar adjustable from 49.5 cm to 80 cm</p>	

<b>93.279</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with insert connection for series <b>40</b> 2 of 60 cm 2 caps Ø 10 mm length 4 cm</p>	

<h2 style="text-align: center;">93.290N</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled</p> <p>Bar 10x20 mm with straight ferrule Ø 20x14 mm for extension art. 32.991/N Length 108 cm</p>		<h2 style="text-align: center;">93.293</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Brown enamelled</p> <p>Bar pair 10x20 mm with ferrule Ø 10 mm adjustable 1 from 70 to 131 cm for series <b>20, 30</b> with 2 turns 2 floor striker plates art. 99.181 included.</p> <p><b>As an alternative</b> to bar art. 93.291</p>	
<h2 style="text-align: center;">93.291</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Brown enamelled</p> <p>Bar pair 10x20 mm with Ø 18 mm ferrule adjustable from 70 cm to 131 cm for locks art.20.527/537 - 30.426/427/436/437</p>		<h2 style="text-align: center;">93.294</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Zinc-plated</p> <p>Pack of 4 bars Ø 18 mm adjustable from 76 cm to 139 cm for vertical locking art. 45.1170/1200</p>	
<h2 style="text-align: center;">93.291/L</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Brown enamelled</p> <p>Bar 10x20 mm with Ø 18 mm ferrule adjustable from 96.5 cm to 183 cm for locks art.20.527/537 - 30.426/427/436/437</p>		<h2 style="text-align: center;">93.296N</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled</p> <p>Bar 10x20 mm with straight ferrule Ø 14 mm for extension art. /N 32.991N500 Length 148.7 cm</p>	
<h2 style="text-align: center;">93.292</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Brown enamelled</p> <p style="text-align: center;">Chrome</p> <p style="text-align: center;">Black enamelled</p> <p style="text-align: center;">Zinc-plated</p> <p>Bar pair Ø 18 mm with ferrule Ø 10 mm adjustable 1 from 79 to 143 cm - 1 from 79 to 134 cm for art. 20.520/30.620/34.328/30.010 floor striker plate art. 99.181 included. <b>As an alternative</b> to bar art. 93.140</p>		<h2 style="text-align: center;">93.302</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled</p> <p>Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 125.5 cm with 15 mm projecting ferrule 1 of 32.5 cm with straight ferrule for series <b>35</b></p>	
<h2 style="text-align: center;">93.292PV</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled-PVD gold</p> <p>Bar pair Ø 18 mm with ferrule Ø 10 mm adjustable 1 from 79 to 143 cm 1 from 79 to 134 cm</p> <p>Floor striker plate art. 99.181 included. <b>As an alternative</b> to bars art. 93.140PV Gold PDV finish adjusting ring nut Stainless steel fixing dowels For series <b>34...PV</b></p>		<h2 style="text-align: center;">93.303</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled</p> <p>Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 155.5 cm with 15 mm projecting ferrule 1 of 92.5 cm with straight ferrule for series <b>35</b></p>	
<h2 style="text-align: center;">93.292/5</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Brown enamelled</p> <p>Package of 5 bars Ø 18 mm - ferrule Ø 10 mm adjustable 2 from 79 to 134 cm - 2 from 79 to 143 cm 1 from 49.5 to 80 cm 4 floor striker plates art. 99.181 included for series <b>20, 30, 38</b></p>		<h2 style="text-align: center;">93.304</h2> <p style="text-align: center;"><b>Finish</b></p> <p style="text-align: center;">Black enamelled</p> <p>Bar 10x20 mm with straight ferrule Length 32.5 cm for series <b>35</b></p>	

<b>93.305</b>	
<b>Finish</b>	
Black enamelled	
Bar 10x20 mm with straight ferrule Length 92.5 cm for series <b>35</b>	
<b>93.306</b>	
<b>Finish</b>	
Black enamelled	
Bar 10x20 mm with 15 mm projecting ferrule Length 125.5 cm for series <b>35</b>	
<b>93.307</b>	
<b>Finish</b>	
Black enamelled	
Bar 10x20 mm with straight ferrule Length 122.5 cm for series <b>35</b>	
<b>93.308</b>	
<b>Finish</b>	
Black enamelled	
Bar 10x20 mm with 15 mm projecting ferrule Length 155.5 cm for series <b>35</b>	
<b>93.309</b>	
<b>Finish</b>	
Black enamelled	
Bar 10x20 mm with straight ferrule Length 152.5 cm for series <b>35</b>	
<b>93.310</b>	
<b>Finish</b>	
Black enamelled	
Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 152.5 cm with straight ferrule 1 of 92.5 cm with straight ferrule for series <b>35</b>	

<b>93.311</b>	
<b>Finish</b>	
Black enamelled	
Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 122.5 cm with straight ferrule 1 of 32.5 cm with straight ferrule for series <b>35</b>	
<b>93.312</b>	
<b>Finish</b>	
Black enamelled	
Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 152.5 cm with straight ferrule 1 of 32.5 cm with straight ferrule for series <b>35</b>	
<b>93.313</b>	
<b>Finish</b>	
Black enamelled	
Bar pair 10x20 mm with ferrule Ø 10 mm 1 of 155.5 cm with 15 mm projecting ferrule 1 of 32.5 cm with straight ferrule for series <b>35</b>	
<b>93.316</b>	
<b>Finish</b>	
Brown enamelled Zinc-plated	
Bar pair Ø 18 mm adjustable 1 from 17.5 cm to 24.5 cm 1 from 51 cm to 81.5 cm connection for Astablock - Xcode	
<b>93.317</b>	
<b>Finish</b>	
Brown enamelled Zinc-plated	
Bar Ø 18 mm adjustable from 17.5 to 24.5 cm for connection between Astablock - XCode and main lock	
<b>93.318</b>	
<b>Finish</b>	
Brown enamelled Zinc-plated	
Bar Ø 18 mm adjustable from 51 cm to 81.5 cm;	

<b>93.322</b>	
<b>Finish</b>	
Zinc-plated	
<p>bar pair Ø 8 mm with threaded M8 connection for series <b>40, 47</b> 1 of 101.5 cm - 1 of 127 cm 2 caps Ø 10 mm length 4 cm <b>Package of 6 pairs</b></p>	

<b>93.323</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with insert connection for lock/switchlocks connection</p> <p>2 of 62 cm <b>Package of 6 pairs</b></p>	

<b>93.324</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with threaded M6 connector for lock/switchlocks connection</p> <p>2 of 60 cm <b>Package of 6 pairs</b></p>	

<b>93.325</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar pair Ø 8 mm with threaded M8 connector for lock/switchlocks connection</p> <p>2 of 60 cm <b>Package of 6 pairs</b></p>	

<b>93.326</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar pair 10x20 mm with ferrule Ø 10 mm n.1 of 148 cm with adjustable 15 mm projecting ferrule n.1 of 95 cm with adjustable straight ferrule for series <b>37</b></p>	

<b>93.327</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule Length cm 95 for series <b>37</b></p>	

<b>93.328</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule Length cm 146 for series <b>37</b></p>	

<b>93.329</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar pair 10x20 mm with ferrule Ø 10 mm n.1 of 146 cm with adjustable mm straight ferrule n.1 of 95 cm with adjustable straight ferrule for series <b>37</b></p>	

<b>93.330</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar 10x20 mm with ferrule Ø 10 mm with projecting ferrule 15 mm Length cm 119 for series <b>37</b></p>	

<b>93.331</b>	
<b>Finish</b>	
Black enameled	
<p>Aluminium bar 10x20 mm with ferrule Ø 10 mm with adjustable straight ferrule Length cm 32 for series <b>37</b></p>	

<b>93.335</b>	
<b>Finish</b>	
Zinc-plated	
<p>Bar Ø 8 mm with insert connection for lock/switchlocks connection length 40 cm for series <b>47</b> <b>Package of 12</b></p>	

<b>93.336/337</b>			
<b>Code</b>	<b>Finish</b>	<b>Length [mm]</b>	
<b>93.336</b>	Zinc-plated	<b>1000</b>	
<b>93.337</b>	Zinc-plated	<b>1500</b>	
<p>Bar Ø15 mm Th. 0.8 mm for series <b>47.902</b> <b>Package of 10</b></p>			